



HOMURA *2x9Plus*

JAPAN QUALITY

Model of royal road attains maturity with updates.

Spec

Product Name	2x9Plus
Size	18inch/19inch/20inch/21inch/22inch
Construction Method	Cast 1pc. Wheel
Safety Standards	JWL+R Spec 1
Color	Glossy Black/Rim Edge DMC (BVK) (21/22inch: BAK) Grace Silver (QNK)(21/22inch: HIK)
Included	No.72 GENERAL CAP V1 HI BK/Chrome、 No.25 GENERAL CAP V1 LOW BK/Chrome、 No.21 INSIDE ALUMINUM AIR VALVE BK



Grace Silver (QNK)(21/22inch: HIK)



Glossy Black/Rim Edge DMC (BVK) (21/22inch: BAK)

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE				CALIPER CLEARANCE
							BVK COLOR	QNK COLOR	BAK COLOR	HIK COLOR	
18x7.5J	F 0	50(38)	5	114.3	73.1	29-15	59,000	59,000	-	-	∠
		45(43)									η∠
18x8J	F 1	45(34)	5	114.3	73.1	29-15	-	60,000	-	-	η■∠≡
		45		120			72.6				60,000
19x7.5J	F 0	45(43)	5	114.3	73.1	29-15	65,000	65,000	-	-	η∠
19x8J	F 1	45(34)	5	114.3	73.1	29-15	66,000	66,000	-	-	▽η■∠
		45		120							72.6
		38(41)		114.3	73.1			-			▽θη■∠◎#△αγ◇◇
		38		120	72.6			66,000			TOYOTA ALPHARD(40)*, MIRAI(JPD20), BMW 335i(E92), 320i(F30), 528i(F10), X1(E84), X3(F25)
20x8.5J	F 1	45(33)	5	114.3	73.1	29-15	75,000	75,000	-	-	η■∠◎
				120	72.6						HONDA CIVIC TYPE R(FK8,FL5)
		38(40)		114.3	73.1						▽θη■∠◎#△αγ◇◇
				120	72.6						TOYOTA ALPHARD(40)*, MIRAI(JPD20), BMW 528i(F10), X3(F25)
21x9J	F 2	45(33)	5	120	72.6	29-15	-	-	93,000	93,000	TOYOTA ALPHARD(40)
		38(40)		114.3	73.1						▽θΣ■∠◎α●◇≡
22x9J	F 1	45(46)	5	120	72.6	29-15	-	-	105,000	105,000	TOYOTA ALPHARD(40)
				72.6	726						73.1
		38(53)		114.3	73.1						◇◎#●θ∠■η▽α▲≡

Caution

• Hub clearance is the measurement to the center cap attachment. Measurements will differ depending on the center cap used. Please refer to the option parts tab for more information on center cap clearance.

5H-P.C.D.112/120: Cannot fit Mercedes Benz (GL Class, GLS Class, R550 4 Matic, R350 4 Matic 2012-, ML63 4 Matic, S550 Plug-in Hybrid, V class (W447), GLE63S 4 Matic, GLE class (V167), EQC400), Rolls Royce, Bentley, Maybach (57, 62, GLS600), BMW X5 (7 seater), X5 (F15), X5 (PHV), X6 Active Hybrid, X7, iX, iX3, Alpina XB7, Audi e-tron, Land Rover, Tesla (Model X), Century (GRG75).

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※ CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.

※ * : Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.