

Bronze (Almite) (BR)

The latest of the lightest

Spec

Product Name	CE28N 10 SPOKE DESIGN
Size	16inch/18inch
Construction Method	Forged 1pc. Wheel
Safety Standards	JWL+R Spec 2
Color	Bronze (Almite) (BR)
Included	No.49 EUROPEAN ALUMINUM VALVE RAYS BK

Optional Parts

No.58 RAYS CAP O-Ring HI、 No.59 RAYS CAP HI (Resin)、 No.60 VR FLAT Small O-Ring CAP BR、 No.61 VR FLAT O-Ring CAP BR

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE	CALIPER CLEARANCE	Load (kg)	Load (lbs)
						BR COLOR			
16x7J	42(16)	5	114.3	73.1	29-13	75,000	-	690	1,521
16x7.5J	35	5	114.3	73.1	-	76,000	SWIFT SPORT(ZC33S, ZC32S)Fr	690	1,521
18x8.5J	30(30)	5	114.3	73.1	29-13	108,000	▽Θη■◿◎#△○☆〓	700	1,543

Caution
※Hub clearance is the measurement to the center cap. Measurements will differ depending on the center cap used.
※Cannot fit 14mm bolt.

[CALIPER CLEARANCE]
▼：IMPREZA (GDB 4POT)、86/BRZ Brembo(ZN6、ZC6)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34)
●： FAIRLADY Z (Z34)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.