

Diamond Dark Gunmetal (MM)



Bronze (Almite) (BR)

VOLK RACING ORIGINAL TE37 SONIC

ATTACK the corner

Spec

Product Name	TE37 SONIC
Size	15inch/16inch
Construction Method	Forged 1pc. Wheel
Safety Standards	JWL+R Spec 2
Color	Diamond Dark Gunmetal (MM) Bronze (Almite) (BR) ※Bronze color (Almite) may have uncolored areas besides the design surface. Thank you for your understanding.
Optional Color	OP-2: Extra ￥3,000 from MM color. HL color, IG color, MR color: Extra ￥4,000 SZ color, SI color, HM color: Extra ￥7,000 Dash White(DW)、 Matte Black(MB)、 Red(RE)、 Diamond Black(DB)、 MAG Blue(BL)、 Black(BK)、 Matte Gunbronze(MZ)、 Matte Blue Gunmetal(GB)、 Gunmetal(GM)、 Gold(GO)、 Diamond Silver(DS)、 Dark Gunmetal(DG)、 Hyper Blue(HL)、 Racing Green(IG)、 Metallic Red(MR)、 Shining Light Metal(SI)、 Shining Black Metal(HM)、 Shining Bronze Metal(SZ)
Included	No.53 INSIDE AIR VALVE RAYS BK
Optional	Center Cap

Optional Parts

No.51 VR CAP MODEL-01 LOW MM、 No.53 VR CAP MODEL-01 LOW BR、 No.54 VR CAP MODEL-01 HI MM、 No.56 VR CAP MODEL-01 HI BR、 No.93 VR CAP MODEL-37 BR、 No.94 VR CAP MODEL-37 BK-Almite

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE		CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
							MM COLOR	BR COLOR				
15x5J	F 0	45(24)	4	100	65	29-15	58,000	63,000	-	5.5	500	1,102
15x5.5J	F 1	45(28)	4	100	65	29-15	59,000	64,000	-	1.1	500	1,102
15x6J	F 2	42(28)	4	100	65	29-15	60,000	65,000	-	-	500	1,102
	F2	36										
15x6.5J	F 3	36(35)	4	100	65	29-15	61,000	66,000	-	-	500	1,102
15x7J	F 4	35(33)	4	100	65	29-15	62,000	67,000	-	-	500	1,102
	F 5	25(33)										
16x5.5J	F 1	45(25)	4	100	65	29-15	63,000	68,000	-	1.8	530	1,168
16x6J	F 1	42(29)	4	100	65	29-15	64,000	69,000	-	-	530	1,168
	F1	36										
16x6.5J	F 1	48(29)	4	100	65	29-15	65,000	70,000	-	-	530	1,168
		45(32)										
	F 2	38(34)										
16x7J	F 2	48(31)	4	100	65	29-15	66,000	71,000	-	-	530	1,168
	F 3	35(33)										
	F 4	25(33)										
16x7.5J	F3	33(34)	4	100	65	29-15	67,000	72,000	Ψ	-	530	1,168
16x8J	F 4	35(26)	4	100	65	29-15	68,000	73,000	-	-	530	1,168
		25(36)							Ψ			

Caution
※Hub clearance listed with VR CAP MODEL-01 LOW installed. HI-type Center Cap adds extra 11mm clearance.
[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34)
●： FAIRLADY Z (Z34)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/φ380 rotor)
◇： GT-R (R35/φ380, φ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo