



Diamond Dark Gunmetal (MM)



Bronze (Almite) (BR)

ATTACK the corner

Spec

Product Name	TE37 SONIC
Size	15inch/16inch
Construction Method	Forged 1pc. Wheel
Safety Standards	JWL+R Spec 2
Color	Diamond Dark Gunmetal (MM) Bronze (Almite) (BR) ※Bronze color (Almite) may have uncolored areas besides the design surface. Thank you for your understanding.
Optional Color	OP-2: Extra ¥ 3,000 from MM color. HL color, IG color, MR color: Extra ¥ 4,000 SZ color, SI color, HM color: Extra ¥ 7,000 Matte Gunbronze(MZ)、Black(BK)、MAG Blue(BL)、Diamond Black(DB)、Dark Gunmetal(DG)、Diamond Silver(DS)、Dash White(DW)、Matte Blue Gunmetal(GB)、Gunmetal(GM)、Gold(GO)、Hyper Blue(HL)、Racing Green(IG)、Matte Black(MB)、Red(RE)、Shining Bronze Metal(SZ)、Shining Light Metal(SI)、Shining Black Metal(HM)、Metallic Red(MR)
Included	No.53 INSIDE AIR VALVE RAYS BK
Optional	Center Cap

Optional Parts

No.51 VR CAP MODEL-01 LOW MM、 No.53 VR CAP MODEL-01 LOW BR、 No.54 VR CAP MODEL-01 HI MM、 No.56 VR CAP MODEL-01 HI BR、 No.93 VR CAP MODEL-37 BR、 No.94 VR CAP MODEL-37 BK-Almite

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE		CALIPER CLEARANCE	DISK PROTRUSIO N (mm)
							MM COLOR	BR COLOR		
15x5J	F 0	45(24)	4	100	65	29-15	53,000	58,000	-	5.5
15x5.5J	F 1	45(28)	4	100	65	29-15	54,000	59,000	-	1.1
15x6J	F 2	42(28)	4	100	65	29-15	55,000	60,000	-	-
15x6.5J	F 3	36(35)	4	100	65	29-15	56,000	61,000	-	-
15x7J	F 4	35(33)	4	100	65	29-15	57,000	62,000	-	-
	F 5	25(33)								
16x5.5J	F 1	45(25)	4	100	65	29-15	57,000	62,000	-	1.8
16x6J	F 1	42(29)	4	100	65	29-15	58,000	63,000	-	-
16x6.5J	F 1	48(29)	4	100	65	29-15	59,000	64,000	-	-
		45(32)								
	F 2	38(34)								
16x7J	F 2	48(31)	4	100	65	29-15	60,000	65,000	-	-
	F 3	35(33)								
	F 4	25(33)								
16x7.5J	F 3	33(34)	4	100	65	29-15	61,000	66,000	ψ	-
16x8J	F 4	35(26)	4	100	65	29-15	62,000	67,000	-	-
		25(36)							ψ	

Caution

※Hub clearance listed with VR CAP MODEL-01 LOW installed. HI-type Center Cap adds extra 11mm clearance.

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

≡ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo