



# VOLK RACING 21A

A New "ACE" for the 21st century that inherited its DNA from "Gr.A".



Dark Gunmetal/Rim DC (VC) S rim F1



Dark Gunmetal/Rim DC (VC) LLL rim F3



Bronze (Almite) (BR) LLL rim F3

## Spec

Product Name	21A
Size	18inch
Construction Method	Forged 1pc. wheel
Safety Standards	JWL+R Spec 2
Color	Dark Gunmetal/Rim DC (VC) Bronze (Almite) (BR) ※Bronze color (Almite) may have uncolored areas besides the design surface. Thank you for your understanding.
Included	No.53 INSIDE AIR VALVE RAYS BK、 No.60 INSIDE AIR VALVE RAYS CP
Optional	Center Cap

## Optional Parts

No.51 VR CAP MODEL-01 LOW MM、 No.53 VR CAP MODEL-01 LOW BR、 No.54 VR CAP MODEL-01 HI MM、 No.56 VR CAP MODEL-01 HI BR

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	RIM	INSET ( ): HUB CLEARANCE ( mm )	HOLE	P.C.D.	HUB BORE ( φ )	DRILL ( φ )	PRICE		CALIPER CLEARANCE	Load
								VC COLOR	BR COLOR		
18x8.5J	F1	S	34(28)	5	100	65	29-15	105,000	107,000	▼	1,543
			34(27)		114.3	73.1				▽θη■▲#▲γΩΣ≡	
18x9J	F2	M	30(27)	5	100	65	29-15	106,000	108,000	▼	1,543
			20(28)		114.3	73.1				▽θη■▲#△α○☆≡	
18x9.5J	F2	M	22(34)	5	120	72.6	29-15	107,000	109,000	BMW M3(E92,F80)Fr,M4(F82)Fr.	1,543
			20(34)		114.3	73.1				▽θη■▲#△α○☆≡	
		L	0(29)							η▽θ■▲#△α○☆	
18x10J	F3	LL	-25(25)	5	100	65	29-15	108,000	110,000	▼	1,543
18x10.5J	F2	L	22(20)	5	120	72.6	29-15	109,000	111,000	BMW M3(E92,F80)Rr,M4(F82)Rr.	1,543
			15(26)							▽θη■▲#△α○☆≡	
	0(27)	114.3	73.1		▽▼θη■▲◎#△▲□αβγ○●Ω☆★Σ◆≡						
	LL	-25(27)				η▽θ■▲◎#△α○★◆					
18x11J	F3	LL	-10(18)	5	114.3	73.1	29-15	110,000	112,000	η▽θ■▲#□▲α●	1,543
		LLL	-30(26)		100	65				▼Ψ	
					114.3	73.1				η▽θ■▲◎#△α○★◆	

## Caution

- S rim=39mm, M rim=46mm, L rim=71mm, LL rim=97mm, LLL rim=110mm
- Due to the special nature of this model, production lead times may vary.

## [ CALIPER CLEARANCE ]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

# : SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.