

Gunmetal/Rim DC (MF) LL rim



Gunmetal/Rim DC (MF) S rim



Bronze (Almite) (BR) L rim

The photo is a representative image. Please visit our website for other types of product images

TE37V

Newest, strongest ideas engraved in nostalgia

Spec

Product Name	TE37V
Size	15inch/16inch/17inch
Construction Method	Forged 1 pc. Wheel
Safety Standards	JWL+R Spec 2
Color	Gunmetal/Rim DC (MF) Bronze (Almite) (BR) ※Bronze color (Almite) may have uncolored areas besides the design surface. Thank you for your understanding.
Included	Disk Sticker No.18 INSIDE AIR VALVE RAYS、 No.41 INSIDE AIR VALVE RAYS (OLD) BK

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	RIM	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE		CALIPER CLEARANCE	Load (kg)	Load (lbs)
								MF COLOR	BR COLOR			
15x7.5J	F1	S	25	4	100	65	29-13	69,000	71,000	-	500	1,102
	F2	M	6		114.3	73.1					620	1,367
15x8J	F1	S	25	4	100	65	29-13	70,000	72,000	-	500	1,102
	F3	M	0		114.3	73.1					620	1,367
15x8.5J	F4	M	-5	4	114.3	73.1	29-13	71,000	73,000	-	620	1,367
15x9J	F3	L	-15	4	114.3	73.1	29-13	72,000	74,000	-	620	1,367
15x9.5J	F4	L	-20	4	114.3	73.1	29-13	73,000	75,000	-	620	1,367
15x10J	F4	LL	-25	4	114.3	73.1	29-13	-	76,000	-	620	1,367
16x7.5J	F1	S	25	4	100	65	29-13	74,000	76,000	MAZDA ROADSTER (ND) NR-A, RS (excluding S grade, Brembo-equipped models, NA6/8, and NB6/8)	620	1,367
		M	6		114.3	73.1				-		
16x8J	F1	S	25	4	100	65	29-13	75,000	77,000	-	620	1,367
	F2	M	0		114.3	73.1						
17x8.5J	F1	S	30	5	114.3	73.1	29-13	94,000	96,000	-	690	1,521
17x9J	F1	M	36	5	100	65	29-15	95,000	97,000	-	690	1,521
			20		114.3	73.1	29-13					
17x9.5J	F2	M	15	5	114.3	73.1	29-13	96,000	98,000	-	690	1,521
	F3	L	-15									
17x10.5J	F3	LL	-25	5	114.3	73.1	29-13	98,000	100,000	-	690	1,521

Caution

- 15inch：S rim = 51mm, M rim = 62mm, L rim = 87mm, LL rim = 101mm
- 16inch：S rim = 47mm, M rim = 61mm, L rim = 86mm
- 17inch：S rim = 47mm, M rim = 59mm, L rim = 85mm, LL rim = 98mm
- Due to the special nature of this model, production lead times may very.
- Cannot fit 14mm bolt, except 17inch 4H-100 models.
- 15X8J and above sizes clear AE86(R32 Type M) calipers.