

White (OXZ)



White (OXZ)
17inch

The long-awaited white color is now available for the 57CR!

Spec

Product Name	57CR LIMITED OXZ
Size	17inch/18inch
Construction Method	Cast 1pc. Wheel
Safety Standards	JWL+R Spec 1
Color	White (OXZ)
Included	No.21 INSIDE ALUMINUM AIR VALVE BK

Optional Parts

No.14 GL CAP BK/BK、 No.15 GL CAP BK/RD、 No.16 GL CAP BK-Chrome/BL、 No.17 GL CAP Chrome/BL、 No.63 GL CAP SL/RD、 No.64 GL CAP BR/RD、 No.65 GL CAP BK-Chrome/RD

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE OXZ COLOR	CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
17x7J	-	47(26)	4	100	65	29-15	54,000	-	2.1	530	1,168
		40(33)						Ψ			
		47(26)	5	114.3	73.1			-		690	1,521
18x8.5J	F 2	45(28)	5	100	65	29-15	63,000	▼	0.4	690	1,521
		37(36)		114.3	73.1			▽Θη■◿#△○☆〓			
		50(23)									
18x9.5J	F 3	38(24)	5	100	65	29-15	65,000	▼	-	690	1,521
				114.3	73.1			▽Θη■◿▲α●〓			
		22(40)						▽Θη■◿#△○☆◆〓			
		12(50)									
		38(34)		120	75			HONDA CIVIC TYPE R(FL5/FK8/FK2)*			

Caution
* ：Tuner size. Sample fitments are for reference only.

[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ： GR86/BRZ(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.