

Shining Bronze Metal / Rim DC（SR）

VOLK RACING 21C spec-SR

A new "C" for the 21st century, inheriting the DNA of Gr.

Spec

Product Name	21C spec-SR
Size	18inch
Construction Method	Forged 1pc. wheel
Safety Standards	JWL+R Spec 2
Color	Shining Bronze Metal / Rim DC（SR）
Included	No.60 INSIDE AIR VALVE RAYS CP

Optional Parts

No.4 VR CAP MODEL-01 LOW BK/SL、 No.51 VR CAP MODEL-01 LOW MM、 No.53 VR CAP MODEL-01 LOW BR、 No.54 VR CAP MODEL-01 HI MM、 No.56 VR CAP MODEL-01 HI BR、 No.57 VR Center Cap Model-01 HI BK/SL

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	RIM	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE SR COLOR	CALIPER CLEARANCE	Load (kg)	Load (lbs)
18x8.5J	F1	S	35(28)	5	114.3	73.1	29-13	123,000	η▽θ■◿＃▲γΩΣ〓	700	1,543
18x9J	F2	M	20(28)	5	114.3	73.1	29-13	124,000	η▽θ■◿＃△α○☆Σ〓	700	1,543
18x9.5J	F2	L	0(29)	5	114.3	73.1	29-13	125,000	η▽θ■◿＃△α○☆Σ〓	700	1,543
		M	22(32)		120	72.6	29-15		HONDA CIVIC TYPE-R(FK8),BMW 335i E92		
18x10.5J	F2	L	22(19)	5	120	72.6	29-15	127,000	HONDA CIVIC TYPE-R(FK8),BMW 335i E92	700	1,543
18x11J	F3	LL	-10(22)	5	114.3	73.1	29-13	128,000	η▽θ■◿＃△α○★〓	700	1,543
		LLL	-30(30)						η▽θ■◿◎＃△α○☆◆〓		

Caution
5H-P.C.D.120: Cannot fit BMW X5 (7 seater), X5 (F15), X6 (Active Hybrid), Land Rover, Tesla (Model X), Rolls Royce, Bentley, Century (GRG75)
・S rim=39mm, M rim=46mm, L rim=70mm, LLL rim=108mm
[CALIPER CLEARANCE]
▼：IMPREZA (GDB 4POT)、86/BRZ Brembo(ZN6、ZC6)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ：GR86/BRZ Brembo(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.