



Black/REDOT(KR)



White/REDOT(WR)

## COMPACT x TIME ATTACK

### Spec

Product Name	TE37 SONIC TIME ATTACK EDITION
Size	15inch/16inch
Construction Method	Forged 1pc. wheel
Safety Standards	JWL+R Spec 2
Color	Black/REDOT(KR) Dash White/REDOT(WR)
Included	No.53 INSIDE AIR VALVE RAYS BK

### Optional Parts

No.51 VR CAP MODEL-01 LOW MM、 No.52 VR CAP MODEL-01 LOW GB、 No.53 VR CAP MODEL-01 LOW BR、 No.54 VR CAP MODEL-01 HI MM、 No.55 VR CAP MODEL-01 HI GB、 No.56 VR CAP MODEL-01 HI BR、 No.93 VR CAP MODEL-37 BR、 No.94 VR CAP MODEL-37 BK-Almite

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE ( mm )	HOLE	P.C.D.	HUB BORE ( φ )	DRILL ( φ )	PRICE		CALIPER CLEARANCE	DISK PROTRUSIO N ( mm )	Load
							KR COLOR	WR COLOR			
<b>15x5J</b>	F0	44(24)	4	100	65	29-15	60,000	60,000	-	5.5	1,102
<b>15x5.5J</b>	F1	46(28)	4	100	65	29-15	61,000	61,000	-	1.1	1,102
<b>15x6J</b>	F2	43(28)	4	100	65	29-15	62,000	62,000	-	-	1,102
<b>15x6.5J</b>	F3	37(35)	4	100	65	29-15	63,000	63,000	-	-	1,102
<b>15x7J</b>	F4	36(33)	4	100	65	29-15	64,000	64,000	-	-	1,102
	F5	26(33)									
<b>16x5.5J</b>	F1	46(25)	4	100	65	29-15	64,000	64,000	-	1.8	1,168
<b>16x6J</b>	F1	43(29)	4	100	65	29-15	65,000	65,000	-	-	1,168
<b>16x6.5J</b>	F1	49(29)	4	100	65	29-15	66,000	66,000	-	-	1,168
		46(32)									
	F2	39(34)									
<b>16x7J</b>	F2	49(31)	4	100	65	29-15	67,000	67,000	-	-	1,168
		43(36)									
	F3	39(30)									
		36(33)									
F4	26(33)										
<b>16x7.5J</b>	F4	40(25)	4	100	65	29-15	68,000	68,000	-	-	1,168
	F3	34(27)									
	F4	33(32)							ψ		
<b>16x8J</b>	F4	39(31)	4	100	65	29-15	69,000	69,000	-	-	1,168
		36(26)									
		26(36)							ψ		

Caution

[ CALIPER CLEARANCE ]

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.