



The lightest forged wheel, comparable to TE37

### Spec

|                     |  |
|---------------------|--|
| Product Name        | CE28N-plus   |
| Size                | 17inch, 18inch   |
| Construction Method | Forged 1pc. Wheel<br>Knurling finish   |
| Safety Standards    | JWL+R Spec 2   |
| Color               | Diamond Dark Gunmetal(MM)<br>Shining Bronze Metal(SZ)<br>Bronze(Almite)(BR)<br>※Bronze color (Almite) may have uncolored areas besides the design surface. Thank you for your understanding.   |
| Optional Color      | OP-2: Extra ¥3,000 from MM color.<br>HL color, IG color, MR color: Extra ¥4,000<br>SZ color, SI color, HM color: Extra ¥7,000<br>Matte Gunbronze(MZ)、Black(BK)、MAG Blue(BL)、Diamond Black(DB)、Dark Gunmetal(DG)、Dash White(DW)、Matte Blue Gunmetal(GB)、Gunmetal(GM)、Gold(GO)、Hyper Blue(HL)、Racing Green(IG)、Matte Black(MB)、Red(RE)、Shining Bronze Metal(SZ)、Shining Light Metal(SI)、Shining Black Metal(HM)、Metallic Red(MR) |
| Included            | No.49 EUROPEAN ALUMINUM VALVE RAYS BK  |
| Optional            | Center Cap, Vehicle Specific Parts Set   |



Bronze(Almite)(BR)



Diamond Dark Gunmetal(MM) 18inch



Shining Bronze Metal(SZ) 18inch

The photo is a representative image. Please visit our website for other types of product images

### Optional Parts

No.51 VR CAP MODEL-01 LOW MM、 No.53 VR CAP MODEL-01 LOW BR、 No.54 VR CAP MODEL-01 HI MM、 No.56 VR CAP MODEL-01 HI BR、 Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

| SIZE    | FACE | INSET<br>( ): HUB<br>CLEARANCE<br>(mm) | HOLE | P.C.D.                  | HUB<br>BORE<br>(φ)  | DRILL<br>(φ) | PRICE    |          |          | CALIPER<br>CLEARANCE                     | DISK<br>PROTRUSIO<br>N<br>(mm) | Load  |
|---------|------|--|------|-------------------------|---|--------------|----------|----------|----------|--|--------------------------------|-------|
|         |      |  |      |                         |   |              | MM COLOR | SZ COLOR | BR COLOR |  |                                |       |
| 17x7J   | F1   | 45(26)                                 | 4    | 100                     | 65  | 29-15        | 86,000   | 91,000   | 91,000   | -  | 7.17                           | 1,168 |
| 17x7.5J | F1   | 36(29)                                 | 4    | 98                      | 65  | 29-15        | 87,000   | 92,000   | 92,000   | FIAT ABARTH595(312141),ABARTH500(312141) | 7.17                           | 1,168 |
|         |      | 44(34)                                 | 5    | 100                     |   |              |          |          |          | ▽▼§θ■                                    |                                | 1,587 |
|         |      | 38(40)                                 | 4    | ▽▼θ■Ψ                   |   |              |          |          |          | 1,168                                    |                                |       |
|         |      | 39(39)                                 | 5    | 112                     | 66.6  | 32-15        |          |          |          | MINI JCW(F56)                            |                                | 1,587 |
|         |      | 48(30)                                 |      | 114.3                   | 73.1  |              |          |          |          | ▽▼θ#                                     |                                |       |
|         |      | 44(34)                                 |      | ▽▼θ■#▲                  |   |              |          |          |          |  |                                |       |
|         |      | 38(40)                                 |      | ▽▼θ■#▲γΩΣ               |   |              |          |          |          |  |                                |       |
| 17x8J   | F1   | 44(27)                                 | 4    | 100                     | 65  | 29-15        | 88,000   | 93,000   | 93,000   | ▽▼θ■Ψ                                    | 7.17                           | 1,168 |
|         | F2   | 43(29)                                 | 5    |                         |   |              |          |          |          | ▽▼§θ■                                    |                                |       |
|         |      | 34(26)                                 | 4    | ABARTH 124Spider(NF2EK) | -   | 1,168        |          |          |          |  |                                |       |
|         |      | 38(35)                                 | 5    | 114.3                   |   |              |          |          |          | 73.1                                     |                                | 32-15 |
| 17x8.5J | F2   | 40(26)                                 | 4    | 100                     | 65  | 29-15        | 89,000   | 94,000   | 94,000   | ▽▼θη■Ψ                                   | -                              | 1,168 |
|         |      | 45(34)                                 |      | ▽▼§θη■                  |   |              |          |          |          | 1,587                                    |                                |       |
|         |      | 44(35)                                 | 112  | 66.6                    | VW GOLF V (includes GTI/R32),VI (includes R),VII (includes GTI/R),VIII (includes R) |              |          |          |          |  |                                |       |
|         |      | 40(26)                                 | 5    | 114.3                   | 73.1  | 32-15        |          |          |          | ▽▼θη■#▲γΩΣ                               |                                |       |
|         |      | 30(36)                                 |      |                         |   |              |          |          |          | ▽▼θη■#▲γΩΣ■                              |                                |       |
|         |      | 36(30)                                 |      | 120                     | 72.6  |              |          |          |          | BMW M3(E46)                              |                                |       |

|         |    |        |   |       |      |       |        |        |        |                      |      |       |
|---------|----|--------|---|-------|------|-------|--------|--------|--------|----------------------|------|-------|
| 17x9J   | F2 | 45(41) | 5 | 100   | 65   | 29-15 | 90,000 | 95,000 | 95,000 | ▽▼§θη■#▲γΩΣ≡         | -    | 1,587 |
|         | F1 | 61(36) |   | 114.3 | 73.1 | 32-15 |        |        |        | ▽▼θ■#▲γΩ             | 7.17 |       |
|         | F2 | 45(41) |   | 114.3 | 73.1 | 32-15 |        |        |        | ▽▼θη■Ψ≡              | -    |       |
|         | F3 | 22(35) |   | 114.3 | 73.1 | 32-15 |        |        |        | ▽▼θη■∟#△▲□αβγ○●ΩΣ≡   | -    |       |
| 17x9.5J | F2 | 45(34) | 5 | 100   | 65   | 29-15 | 91,000 | 96,000 | 96,000 | ▽▼§θη■Ψ≡             | -    | 1,587 |
|         | F1 | 63(40) |   | 114.3 | 73.1 | 32-15 |        |        |        | ▽▼θ■#▲□γΩΣ           | 7.17 |       |
|         | F2 | 40(39) |   | 114.3 | 73.1 | 32-15 |        |        |        | ▽▼θη■∟#▲γΩΣ≡         | -    |       |
|         | F3 | 35(28) |   | 114.3 | 73.1 | 32-15 |        |        |        | ▽▼θη■∟#▲γ○●ΩΣ≡       | -    |       |
|         |    | 18(45) |   | 114.3 | 73.1 | 32-15 |        |        |        | ▽▼θη■∟#△▲□αβγ○●Ω☆★Σ≡ | -    |       |
| 17x10J  | F3 | 44(38) | 5 | 114.3 | 73.1 | 32-15 | 92,000 | 97,000 | 97,000 | ▽▼θη■∟#▲γΩΣ≡         | -    | 1,587 |
|         |    | 38(31) |   |       |      |       |        |        |        | ▽▼θη■∟#▲γΩΣ≡         | -    |       |

|         |    |        |   |       |      |       |        |         |         |  |   |       |
|---------|----|--------|---|-------|------|-------|--------|---------|---------|--|---|-------|
| 18x7.5J | F1 | 48(22) | 5 | 100   | 65   | 29-15 | 95,000 | 100,000 | 100,000 | ▼  | - | 1,587 |
|         |    | 43(28) |   | 112   | 66.6 | 32-15 |        |         |         | MINI F Series ※Includes JCW  | - |       |
|         |    | 48(22) |   | 114.3 | 73.1 | 32-15 |        |         |         | η▽θ∟≡  | - |       |
| 18x8J   | F2 | 45(21) | 5 | 100   | 65   | 29-15 | 96,000 | 101,000 | 101,000 | -  | - | 1,587 |
|         |    |        |   | 108   | 73.1 | 32-15 |        |         |         | VOLVO XC40(XB) LAND ROVER RANGE ROVER EVOQUE(LZ) LAND ROVER DISCOVERY SPORT(LC2) | - |       |
|         |    |        |   | 114.3 | 73.1 | 32-15 |        |         |         | ηθ∟≡   | - |       |
| 18x8.5J | F2 | 45(27) | 5 | 100   | 65   | 29-15 | 97,000 | 102,000 | 102,000 | ▼§   | - | 1,587 |
|         |    | 45(28) |   | 112   | 66.6 | 32-15 |        |         |         | VW GOLF (V*/VI*/VII*/VIII*) ※Includes R32/R,                                     | - |       |
|         |    | 38(34) |   | 114.3 | 73.1 | 32-15 |        |         |         | η▽θ■∟#▲γ○≡   | - |       |
|         |    | 30(27) |   | 114.3 | 73.1 | 32-15 |        |         |         | η▽θ■∟#△○☆≡   | - |       |

|          |        |        |   |        |      |                             |         |         |         |                                       |   |       |  |
|----------|--------|--------|---|--------|------|-----------------------------|---------|---------|---------|---------------------------------------|---|-------|--|
| 18x9J    | F2     | 52(26) | 5 | 100    | 65   | 29-15                       | 98,000  | 103,000 | 103,000 | ▼§                                    | - | 1,587 |  |
|          | F1     | 63(26) |   | 114.3  | 73.1 | 32-15                       |         |         |         | η∇θ■▲#▲■                              |   |       |  |
|          | F2     | 45(33) |   |        |      |                             |         |         |         | η∇θ■▲#△○☆■                            |   |       |  |
| 18x9.5J  | F3     | 41(24) | 5 | 100    | 65   | 29-15                       | 99,000  | 104,000 | 104,000 | ▼§                                    | - | 1,587 |  |
|          | F4     | 22(34) |   | 112    | 66.6 | 32-15                       |         |         |         | BMW Z4(G29)Fr*,TOYOTA GR SUPRA(DB)Fr* |   |       |  |
|          | F2     | 45(25) |   | 114.3  | 73.1 |                             |         |         |         | η∇θ■▲#△○☆■                            |   |       |  |
|          | F3     | 38(27) |   |        |      |                             |         |         |         | η∇θ■▲#△○★■                            |   |       |  |
|          | F4     | 22(33) |   | 120    | 72.6 | η∇θ■▲#△○☆◆■                 |         |         |         |                                       |   |       |  |
|          |        | 12(30) |   |        |      | HONDA CIVIC TYPE R(FK8,FL5) |         |         |         |                                       |   |       |  |
|          | F2     | 53(32) |   | 38(27) |      |                             |         |         |         | HONDA CIVIC TYPE R(FK8*, FL5*)        |   |       |  |
|          |        | 45(25) |   |        |      |                             |         |         |         |                                       |   |       |  |
| F3       | 38(27) |        |   |        |      |                             |         |         |         |                                       |   |       |  |
| 18x10J   | F3     | 40(31) | 5 | 114.3  | 73.1 | 32-15                       | 100,000 | 105,000 | 105,000 | η∇θ■▲#△○★◆■                           | - | 1,587 |  |
| 18x10.5J | F4     | 34(34) | 5 | 112    | 66.6 | 32-15                       | 101,000 | 106,000 | 106,000 | BMW Z4(G29)Rr*,TOYOTA GR SUPRA(DB)Rr* | - | 1,587 |  |
|          |        | 22(45) |   | 114.3  | 73.1 |                             |         |         |         | η∇θ■▲#△○☆◆■                           |   |       |  |
|          |        | 15(39) |   |        |      |                             |         |         |         |                                       |   |       |  |
| 18x11J   | F4     | 34(41) | 5 | 112    | 66.6 | 32-15                       | 102,000 | 107,000 | 107,000 | BMW Z4(G29)Rr*,TOYOTA GR SUPRA(DB)Rr* | - | 1,587 |  |
|          |        | 15(46) |   | 114.3  | 73.1 |                             |         |         |         | η∇θ■▲#△○☆◆■                           |   |       |  |

## Caution

5H-P.C.D.108/112/120: Cannot fit Volvo XC90 (Plugin Hybrid), Mercedes (GL class, GLS Class, R550 4 Matic, R350 4 Matic, 2012- ML63 4 Matic, S550 Plugin Hybrid, V class (W447), GLE 63S 4matic, GLE class (V167), EQC400, Rolls Royce, Bentley, Maybach (57, 62, GLS600), BMW X5 (7 seater), X5 (F15), X5 PHV, X6 (Active Hybrid), X7, iX, iX3, Alpina XB7, Audi e-tron, Land Rover (5-120), Tesla (Model X), Century (GRG75).

※Hub clearance is the measurement used with the standard setting center cap.

\* : Tuner size. Sample fitments are for reference only.

## [ CALIPER CLEARANCE ]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

# : SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.