VOLK RACING TE37V-PRO

Improved control performance, the PRO model of TE37V has arrived.

Spec

Product Name	TE37V-PRO
Size	15inch/16inch/17inch/18inch
Construction Method	Forged 1 pc. Wheel Knurling finish
Safety Standards	JWL+R Spec 2
Color	Pressed Graphite(PG)
Included	Sticker Set No.61 INSIDE ALUMINUM AIR VALVE RAYS BK
Optional	※Optional center caps cannot be installed



Pressed Graphite(PG) 17inch ※included sticker installed



Pressed Graphite(PG) 15x9J



Pressed Graphite(PG) 15x9J ※included sticker installed

The photo is a representative image. Please visit our website for other types of product images

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	RIM	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE PG COLOR	CALIPER CLEARANCE	Load (kg)	Load (lbs)
15x8J	F3	M	0(18)	4	114.3	73.1	29-13	78,000	-	620	1,367
15x8.5J	F3	S	5(20)	4	100	65	29-13	79,000	-	500	1,102
	F4	M	-5(20)		114.3	73.1				620	1,367
15x9J	F3	L	-15(21)	4	114.3	73.1	29-13	80,000	-	620	1,367
15x9.5J	F4	L	-20(22)	4	114.3	73.1	29-13	81,000	-	620	1,367
15x10J	F4	LL	-25(21)	4	114.3	73.1	29-13	82,000	-	620	1,367
16x7.5J	F1	S	25(18)	4	100	65	29-13	82,500	MAZDA ROADSTER (ND) NR-A, RS (excluding S grade, Brembo-equipped models, NA6/8, and NB6/8)	620	1,367
		M	6(24)		114.3	73.1			-		
16x8J	F1	S	25(24)	4	100	65	29-13	84,000	HONDA CIVIC (EK4) (excluding EG6), MAZDA ROADSTER (ND) NR-A, RS (excluding S grade, Brembo-equipped models, NA6/8, and NB6/8)	620	1,367
	F2	M	0(21)						-		
	F1	S	25(24)		114.3	73.1					
	F2	M	0(21)								
16x8.5J	F1	M	23(20)	4	100	65	29-13	85,500	MAZDA ROADSTER (ND) NR-A, RS (excluding S grade, Brembo-equipped models, NA6/8, and NB6/8)	620	1,367
		S	30(25)		114.3	73.1			-		
		M	10(33)								
	F2		-6(34)								
16x9J	F1	L	0(24)	4	100	65	29-13	87,000	HONDA CIVIC (EK4) (excluding EG6), MAZDA ROADSTER (ND) NR-A, RS (excluding S grade, Brembo-equipped models, NA6/8, and NB6/8)	620	1,367
		M	15(34)		114.3	73.1			-		

17x8.5J	F1	S	29(32)	5	100	65	29-15	104,000	§	690	1,521
					114.3	73.1	29-13		▽θ#		
17x9J	F1	M	36(19)	5	100	65	29-15	105,000	-	690	1,521
			20(35)		114.3	73.1	29-13		▽θη#▲		
	F2		6(34)						▽θη■◿#▲〓		
		L	-10(25)						-		
17x9.5J	F2	M	15(31)	5	114.3	73.1	29-13	106,000	▽θη■#▲〓	690	1,521
	F3		1(34)						▽θη■◿#△○〓		
		L	-15(25)						η◿〓		
17x10J	F2	L	-5(32)	5	114.3	73.1	29-13	107,000	▽θη■◿#▲〓	690	1,521
	F3	LL	-20(24)						◿〓		
17x10.5J	F2	L	0(35)	5	114.3	73.1	29-13	108,000	▽θη■◿#▲〓	690	1,521
	F3	LL	-25(34)						▽θη■◿#△○〓		

18x9.5J	F1	S	15(30)	5	114.3	73.1	29-13	118,000	▽θη■◿#▲γ○★〓	690	1,521
	F2		0(32)						▽θη■◿#△○★〓		
	F1		22(23)		120	72.6	25-15		HONDA CIVIC TYPE-R(FK8),BMW M3(E92)		
18x10J	F2	L	-25(38)	5	100	65	29-15	119,500	▼§	690	1,521
		S	0(39)		114.3	73.1	29-13		▽θη■◿◎#△○☆◆〓		
		L	-25(38)								
18x10.5J	F1	M	15(30)	5	114.3	73.1	29-13	121,000	▽θη■◿#▲γ○★〓	690	1,521
	F2		0(32)						▽θη■◿#△○★〓		
	F1	LL	-25(43)						▽θη■◿#△○☆〓		
		M	22(23)		120	72.6	25-15		HONDA CIVIC TYPE-R(FK8),BMW M3(E92)		
18x11J	F2	LLL	-30(31)	5	100	65	29-15	122,500	▼§	690	1,521
	F1		-10(23)		114.3	73.1	29-13		▽θη■◿#△○★〓		
	F2		-30(31)						▽θη■◿#▲〓		

Caution
・15X8J and above sizes clear AE86(R32 Type M) calipers.
・15inch：S rim = 51mm, M rim = 62mm, L rim = 87mm, LL rim = 101mm
・16inch：S rim = 47mm, M rim = 61mm, L rim = 86mm
・17inch：S rim = 47mm, M rim = 59mm, L rim = 85mm, LL rim = 98mm
・18inch：S rim = 64mm, M rim = 77mm, L rim = 89mm, LL rim = 102mm, LLL rim = 115mm

[CALIPER CLEARANCE]
▼：IMPREZA (GDB 4POT)、86/BRZ Brembo(ZN6、ZC6)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ：GR86/BRZ Brembo(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ ： LANCER EVO.(VII～IX)
◆： GT-R (R35/φ380 rotor)
◇： GT-R (R35/φ380, φ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.