

Black Chrome Coating/RAP(Y8J)

HOMURA 2x9Plus JET BLACK EDITION IV

The long-awaited fourth installment of the JET BLACK EDITION.

Spec

Product Name	2x9Plus JET BLACK EDITION IV
Size	18inch/19inch/20inch
Construction Method	Cast 1pc. Wheel （21inch model Reverse Rim.）
Safety Standards	JWL+R Spec 1
Color	Black Chrome Coating/RAP(Y8J)
Included	No.21 INSIDE ALUMINUM AIR VALVE BK、 No.111 HOMURA CENTER CAP ver.B BK/BK

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE Y8J COLOR	CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
18x7.5J	F0	49(34)	5	100	65	29-15	80,000	-	3.5	700	1,543
				114.3	73.1			◿			
		46(37)						η◿〓			
18x8J	F1	44(31)	5	100	65	29-15	81,000	▽	4	700	1,543
				114.3	73.1			Θη■◿			
		39(36)						Θη■◿#□α●〓			
19x7.5J	F0	49(35)	5	100	65	25-15	88,000	-	3.5	700	1,543
				114.3	73.1	29-15		◿			
		46(38)						◿〓			
19x8J	F1	44(31)	5	100	65	25-15	89,000	▽	4.5	700	1,543
				114.3	73.1	29-15		Θη■◿◎			
		39(46)						Θη■◿◎#□α●◇〓			
20x8.5J	F1	44(30)	5	114.3	73.1	29-15	99,000	Θη◿◎	5	705	1,554
		39(35)						Θη■◿◎#□α●◇〓			
		42(32)		120	72.6			-			

Caution
※PCD 5-100：please use 17HEX nuts

[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT), 86/BRZ(ZN6/ZC6)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ： GR86/BRZ(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.