



HOMURA
JAPAN QUALITY

2x10BD

BLACK CLEAR EDITION

Dynamic energy concealed within sharpness.

Spec

Product Name	2x10BD BLACK CLEAR EDITION
Size	18inch/19inch/20inch/21inch
Construction Method	Cast 1pc. Wheel
Safety Standards	JWL+R Spec 1
Color	Glossy Black/Black Clear (BFJ)
Included	No.21 INSIDE ALUMINUM AIR VALVE BK、 No.111 HOMURA CENTER CAP ver.B BK/BK



Glossy Black/Black Clear (BFJ)

Optional Parts

Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE	CALIPER CLEARANCE	DISK PROTRUSIO N (mm)	Load
							BFJ COLOR			
18x7.5J	F1	50(40)	5	100	65	29-15	64,000	-	6.1	1,543
				114.3	73.1			∠≡		
		45(45)			θη∠≡					
18x8J	F2	45(29)	5	114.3	73.1	29-15	65,000	η∠≡	3.5	1,543
		38(36)						θη■∠#▲□α●≡		
19x8J	F1	45(35)	5	100	65	29-15	71,000	-	3.5	1,543
				114.3	73.1			η∠≡		
		38(42)						θη■∠◎#▲≡		
		45(35)						TOYOTA ALPHARD(40),BMW 116i(F20)		
		38(42)			120			72.6		
19x8.5J	F2	40(37)	5	108	73.1	29-15	72,000	VOLVO XC40(XB)*,RANGE ROVER DISCOVERY SPORT(LC2)*,RANGE ROVER EVOQUE(LZ)	4.5	1,543
		38(35)		112	66.6			AUDI A3(8V),S3(8V),A4(8K),MINI CROSSOVER(F60),VW GOLF(VII,VIII)※includes R		
		45(32)		114.3	73.1			θη■∠≡		
		38(39)						θη■∠◎#△α◇≡		
		36(41)		120	72.6			BMW 3er,TOYOTA ALPHARD(40)*		

20x8.5J	F1	45(35)	5	112	66.6	29-15	79,000	AUDI A3(8V),S3(8V),RS3(8V before m/c),A4(8K),Q3(8U),BMW X1(U11,F48),1er.(F40)*,N135i(F40),2er.Active tourer(F45)*,MINI F** Series※except JCW, VW GOLF(V*/VI*/VII*/VIII*)※includes R32/R,SCIROCCO(13C)	4.2	1,554
		38(42)						AUDI A6(4G),S6(4G)*,BMW 5er.(F10,G30),X3(G01),BENZ C-CLASS(W205)*,E-CLASS(W213),GLB-CLASS(X247),GLC-CLASS(X253)		
		45(35)		114.3	73.1			$\eta \triangle \ominus =$		
		38(42)						$\Theta \eta \blacksquare \triangle \odot \# \blacktriangle \square \alpha \bullet \blacklozenge =$		
		45(35)		120	72.6			TOYOTA ALPHARD(40)		
		38(42)						TOYOTA ALPHARD(40)*		
		20x9J		F2	40(36)			5		
30(46)	$\Theta \eta \blacksquare \triangle \odot \# \blacktriangle \square \alpha \bullet \blacklozenge =$									

21x9J	F2	45(35)	5	114.3	73.1	29-15	93,000	$\eta \triangle =$	3.25	1,554
		38(42)						$\Theta \eta \blacksquare \triangle \odot \bullet \blacklozenge =$		
		30(50)		120	72.6			$\Theta \eta \blacksquare \triangle \odot \# \triangle \alpha \circ \star \blacklozenge =$		
		45(35)						TOYOTA ALPHARD(40)		
		38(42)		TOYOTA ALPHARD(40)*						

Caution

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

≡ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.