



RAYS Black Metal Coat(RB) 18inch



57DR Limited Edition "RAYS Black Metal Coat" Debut.

### Spec

Product Name	57DR Limited RBC
Size	15inch/17inch/18inch/19inch
Construction Method	Cast 1pc. Wheel
Safety Standards	JWL+R Spec1
Color	RAYS Black Metal Coat(RB)
Included	No.8 GRAMLIGHTS SPOKE STICKER in YELLOW

### Optional Parts

No.16 GL CAP BK-Chrome/BL、 No.17 GL CAP Chrome/BL、 No.8 GRAM LIGHTS Spoke Sticker、 No.10 GL RIM STICKER 2S YELLOW/BLACK

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE ( mm )	HOLE	P.C.D.	HUB BORE ( φ )	DRILL ( φ )	PRICE	CALIPER CLEARANCE	Load
							RB COLOR		
15x8J	-	35(20)	4	100	65	29-15	51,000	-	1,102
		28(22)							
17x9J	-	22(40)	5	114.3	73.1	29-15	59,000	▽θη#□ΩΣ	1,521
		12(50)						▽θη#□ΩΣ■	
18x8.5J	F1	37(30)	5	114.3	73.1	29-15	65,000	▽θη#□ΩΣ	1,543
18x9.5J	F2	38(24)	5	100	65	29-15	67,000	▼	1,521
		22(40)		114.3	73.1			▽θηΔ#α●■	
		12(50)						▽θηΔ#△○☆◆■	
19x8.5J	F1	45(28)	5	114.3	73.1	29-15	73,000	θη■Δ◎■	1,543
		35(28)						▽θη■Δ◎#△○★◆■	
19x9.5J	F2	35(28)	5	114.3	73.1	29-15	75,000	▽θη■Δ◎#△○★◆■	1,543
		25(38)						▽θη■Δ◎#△○☆◆■	
		45(18)		120	75				
		35(28)						HONDA CIVIC TYPE R(FL5/FK8/FK2)*	

## Caution

### [ CALIPER CLEARANCE ]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

# : SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

≡ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※Vehicles listed in CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.