

Shining Super Black(SK)

VMF S-01

Unmatched Choice of Beauty

Spec

Product Name	S-01
Size	18inch/19inch/20inch
Construction Method	Forged 1pc. wheel
Safety Standards	JWL+R Spec 2
Color	Shining Super Black(SK)
Included	No.72 GENERAL CAP V1 HI BK/Chrome、 No.56 ET1 AIR VALVE BK
Optional	Note P.C.D. 5-120 : Please use FORMULA NUT SET (FN- II)

Optional Parts

Vehicle Specific Parts Set、 FORMULA NUT SET (FN-II)

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE	CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
							SK COLOR				
18x7.5J	F0	46(33)	5	112	66.6	29-15	103,000	Q2(GACHZ), BMW X1(F48/U11), MINI F Series(JCW含む) ,VW GOLF(Ⅶ/Ⅷ),TIGUAN(5NCZE)	5.1	720	1,587
	F1	48(26)		114.3	73.1			η◿〓	3.3		
		43(31)						θη■◿〓			
19x8J	F1	48(25)	5	108	73.1	29-15	118,000	VOLVO XC40(XB420XC),XC60(UD4204TXC),S60(ZB420),V40(MB4164T),V60(FB420),PEUGEOT 508(R85G06H),5008(P87AH01),308(P52YH01),3008(P84AH01),LAND ROVER EVOQUE(LZ2XA),VELAR(LY2NA),JAGUAR F-PACE(DC2NA),E-PACE(DF2XA)	3.2	720	1,587
		46(27)		112	66.6			VW GOLF(Ⅶ/Ⅷ),PASSAT(3C),The Beetle(16CBZ) BMW X1(F48), AUDI A3(8V),S3(8V),A4(8K),TTS Coupe(FVCJXF),S4(B9),Q3(8UCZD), MINI F Series(includes JCW)			
		45(28)		114.3	73.1			▽▼θη■◿◎#▲〓			
		38(35)						▽▼θη■◿◎#△▲□αβγ○●Ω★◇◆〓			
		45(28)		120	72.6	25-15		-			
20x8.5J	F1	45(28)	5	108	73.1	29-15	137,000	LAND ROVER EVOQUE(LZ2XA), JAGUAR F-PACE(DC2NA) VOLVO XC40(XB420XC), XC60(UD4204TXC),S60(DBA-ZB420)	3.1	720	1,587
		40(33)						LAND ROVER EVOQUE(LZ2XA),VELAR(LY2NA),DISCOVERY SPORT(LC2NC), JAGUAR E-PACE(DF2XA),F-PACE(DC2NA)			
		45(28)		112	66.6			BMW X1(U11),X4 M Competition(G02), AUDI Q3(8UCZD),Q5(8R),RS3 Sedan(8VDAZL),A4(8K) MINI CROSSOVER COOPER SD ALL4(F60),COUNTRYMAN（U25）			
		38(35)						AUDI Q3(8UCZD),Q5(8R),RS3 Sedan(8VDAZL),RS Q3(8UCZGF), MINI CROSSOVER COOPER SD ALL4(F60),COUNTRYMAN（U25）			
		45(28)		114.3	73.1			▽▼θη■◿◎#▲□αβ●◇◆〓			
		38(35)						▽▼θη■◿◎#△▲□αβγ○●Ω★◇◆〓			
		42(31)		120	72.6			TOYOTA ALPHARD(AGH40W), HONDA CIVIC TYPE-R(FK8/FL5)			

Caution
※When installing 18inch × 8J 5-120 or 19inch × 8J 5-120 wheels on a TOYOTA ALPHARD (AGH40W) or HONDA CIVIC TYPE R (FK8/FL5), a Formula Nut Set (FN-II) is required.Please note that when using the Formula Nut Set (FN-II), the nuts will protrude.
・Hub clearance listed is with the standard type center cap installed.
・Sample fitments are for reference only. (*：Tuner size)

[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ： GR86/BRZ(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/φ380 rotor)
◇： GT-R (R35/φ380, φ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.