



**FDJ2**

# MID RACING R26

2×6 spoke design with Racing Shape

## Spec



Deep Titan Silver (18x9.5J)



Deep Titan Silver (18x8J 6H)



Crystal Black (18x9.5J)

Product Name	MID RACING R26
Size	15inch / 16inch / 17inch / 18inch
Construction Method	Cast flow-formed 1-piece wheel
Safety Standards	JWL VIA compliant (6H-139.7 size: JWL(800KG)JWL-T(955KG)VIA compliant)
Color	Crystal Black Deep Titan Silver
Included	Center cap Air valve Rim sticker (included)
Optional	Center cap ¥ 3,000 Air valve ¥ 800 Rim sticker ¥ 1,000  MID Parts Kit : No.3 ¥8,000: M14X1.5 L26 17HEX BOLT 20 pcs, 1 long adapter No.4 ¥ 12,000: M14X1.5 L26 17HEX BOLT 20 pcs, long adapter 1 pc, hub ring φ66.6-φ57.1 4 pcs No.5 ¥ 8,000: M14X1.25 L28 17HEX BOLT 20 pcs, long adapter 1 pc

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET ( ): HUB CLEARANCE ( mm )	HOLE	P.C.D.	HUB BORE ( $\phi$ )	DRILL ( $\phi$ )	PRICE		DISK PROTRUSIO N (mm)	Load
						CRYSTAL BLACK COLOR	DEEP TITAN SILVER COLOR		
<b>15x5J</b>	45(40)	4	100	67.1	29-13	43,000	45,000	10.4	1,102
<b>16x6J</b>	43(42)	4	100	67.1	29-13	50,000	52,000	11.9	1,168
	50(35)								
<b>16x6.5J</b>	38(34)	6	139.7	106.1	29-13	51,000	53,000	-	2,105
<b>17x6.5J</b>	38(34)	6	139.7	106.1	29-13	58,000	60,000	0.1	2,105
<b>17x7J</b>	45(46)	4	100	67.1	29-13	55,000	57,000	7.7	1,168
	48(43)	5							1,190
			114.3	73.1					1,521
<b>17x7.5J</b>	48(43)	5	114.3	73.1	29-13	55,500	57,500	6.3	1,521
<b>18x7.5J</b>	50(43)	5	100	67.1	29-13	64,000	66,000	6.8	1,190
			112	66.6					1,543
			114.3	73.1					

<b>18x8J</b>	45(43)	5	100	67.1	29-13	64,500	66,500	6.8	1,190
			114.3	73.1					1,521
	38(42)	6	139.7	106.1					65,500
<b>18x8.5J</b>	45(36)	5	100	67.1	29-13	65,000	67,000	4.8	1,190
			114.3	73.1					1,521
<b>18x9.5J</b>	12(47)	5	114.3	73.1	29-13	67,000	69,000	4.6	1,521
	22(37)								
<b>18x10.5J</b>	12(45)	5	114.3	73.1	29-13	71,000	73,000	5.6	1,521
	22(35)								

Caution  
TPMS compatible