HOMURA JAPAN QUALITY 2x7FT

Elegance and Strength



Diamond Cut / Side Sunlight Silver



Diamond Cut / Side Sunlight Silver



Diamond Cut / Side Sunlight Silver

Spec

Product Name	2x7FT
Size	17inch/18inch/19inch/20inch
Construction Method	Cast 1pc. Wheel
Safety Standards	JWL+R Spec 1
Color	Diamond Cut / Side Sunlight Silver (ZAJ) Diamond Cut / Side Grace Silver (QAJ) ＊Orders are temporarily suspended Black Chrome Coating (YNJ)
Included	Center Cap:choose from HI or LOW type No.72 GENERAL CAP V1 HI BK/Chrome、 No.25 GENERAL CAP V1 LOW BK/Chrome、 No.21 INSIDE ALUMINUM AIR VALVE BK
Optional	Vehicle Specific Parts Set

Optional Parts

Vehicle Specific Parts Set

The photo is a representative image. Please visit our website for other types of product images

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE			CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
							ZAJ COLOR	QAJ COLOR	YNJ COLOR				
17x7J	-	34(64)	4	98	65	29-15	71,000	71,000	75,000	FIAT ABARTH500(312141)*, ABARTH595(312141)*	3.06	700	1,543
		45(53)		100					-	-			
		43(55)	5						75,000				
18x7.5J	F-1	43(36)	5	114.3	73.1	29-15	74,000	74,000	78,000	-	-	700	1,543
		38(42)					-	-		⊿〓			
19x7J	F-0	38(41)	5	114.3	73.1	29-15	-	-	85,000	-	-	700	1,543
19x8J	F-1	45(41)	5	114.3	73.1	29-15	83,000	83,000	87,000	⊿	-	700	1,543
		38(48)								η⊿			
		45(41)		120	72.6					BMW 116i(F20)			
		38(48)								BMW 335i(E92),320i(F30),528i(F10),X3(F25)			
20x8.5J	F-1	45(38)	5	114.3	73.1	29-15	92,000	92,000	96,000	-	-	700	1,554
		38(45)								⊿			
		45(38)		120	72.6					-			
21x8.5J	-	36(54)	5	112	66.6	29-15	116,000	-	-	-	-	840	1,852
		30(60)											
		45(45)		114.3	73.1					⊿			
		35(55)								η⊿◎=			
		30(60)								η■⊿◎▲●=			
		45(45)		120	72.6					-			
		35(55)											
		20(70)											

Caution
∗QAJ color is temporarily unavailable for orders.
※Hub clearance listed is with the LOW type center cap installed. HI type center cap adds extra 5mm clearance.

[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34)
●： FAIRLADY Z (Z34)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.