

Diamond Cut/Matte Translucent Black(PH)

VMF C-01

VERSUS MODE FORGED

New Color Added to VMF C-01 – “Matte Translucent Black” Now Available!

Spec

Product Name	C-01 PREMIUM
Size	19inch/20inch
Construction Method	Forged 1pc. Wheel Reverse rim
Safety Standards	JWL+R Spec 2
Color	Diamond Cut/Matte Translucent Black(PH)
Included	No.102 GENERAL CAP V4(BK-Hairline/GR)、 No.56 ET1 AIR VALVE BK

Optional Parts

Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE PH COLOR	CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
19x8J	F1	45(38)	5	112	66.6	29-15	119,000	AUDI A3(8V) MERCEDES A CLASS(W176/W177) VW GOLF (V/VI/VII/VIII),SHARAN(7N),TOURAN(1T),SCIROCCO(13C),PASSAT (B8)	7.8	700	1,543
				114.3	73.1			η⊿=			
19x8.5J	F1	45(45)	5	108	73.1	29-15	121,000	VOLVO V40(MB),V60(FB) LAND ROVER RANGE ROVER EVOQUE(LZ) JAGUAR F PACE(DC2)	7.8	700	1,543
				112	66.6			AUDI A4(8K),Q3(8U) MERCEDES C CLASS(W205) VW SHARAN(7N)			
		38(52)						AUDI A4(8K),S6(4G),Q3(8U),Q5(8R) MERCEDES S CLASS(W222)Fr,C CLASS (W205)Fr,AMG C43(W205),E CLASS(W212/W213) BMW 5er.(G30),i8(2Z15)Fr.			
	F2	21(43)						BMW 3er(G20)Fr, 5er(G30)Fr.	7		
	F1	43(47)		114.3	73.1			η▽▼Θ■⊿◎#▲●=	7.8		
		38(52)						η▽▼Θ■⊿◎#△□▲αβγ○●Ω★◇◆=			
19x9J	F2	29(41)	5	112	66.6	29-15	123,000	BMW 3er(G20)Fr,Z4(G29)Fr. TOYOTA GR SUPRA(DB)Fr. MERCEDES CLS450 4MATIC(C257)Fr,S400h(W222)Fr.	7	700	1,543
		22(48)		120	72.6			BMW M4 Coupe(F82)Fr,M2 Coupe(F87)Fr.※except CCB, LEXUS LS500&500h(VXFA50&GVF55)Fr.※except F SPORT			
19x9.5J	F1	50(52)	5	112	66.6	29-15	125,000	MERCEDES C CLASS (W205)Rr. BMW i8(2Z15)Rr. AUDI Q5(8R),TT(8J)	7.8	700	1,543
	F2	38(38)						MERCEDES S CLASS(W222)Rr,C CLASS (W205)Rr,AMG C43(W205)Rr,E CLASS(W212/W213)Rr. BMW 3er(G20)Rr,5er(G30) AUDI A4(8K)	7		
	F1	45(57)		114.3	73.1			η▽▼Θ■⊿◎#△□▲αβγ○●Ω☆★Σ◇◆=	7.8		
	F2	38(38)						η■⊿◎□αβ●◇◆=	7		
		22(54)						η▽▼Θ■⊿◎#△□▲αβγ○●Ω☆★Σ◇◆=			

19x10J	F2	45(38)	5	112	66.6	29-15	127,000	BMW 5er(G30)Rr. MERCEDES S400h(W222)Rr.	7	700	1,543
		35(48)						BMW Z4(G29)Rr. TOYOTA GR SUPRA(DB)Rr.			
		28(55)						BMW Z4(G29)Rr. TOYOTA GR SUPRA(DB)Rr. PORSCHE Macan S(95BCTM) MERCEDES CLS450 4MATIC(C257)Rr. AUDI Q5(FYDETS)			
		34(49)		120	72.6			BMW M4 Coupe(F82)Rr,M2 Coupe(F87)Rr. LEXUS LS500&500h(VXFA50&GVF55)Rr,LC500h(GWZ100)Rr. TESLA MODEL S(SL1S2A)			
19x10.5J	F2	38(51)	5	114.3	73.1	29-15	129,000	η▽▼Θ■◿◎#△□▲αβγ○●Ω★◇◆=	7	700	1,543

20x8.5J	F1	45(40)	5	108	73.1	29-15	142,000	VOLVO V40(MB),V60(FB),XC40(XB), XC60(UD) LAND ROVER RANGE ROVER EVOQUE(LZ) JAGUAR F PACE(DC2)	3.8	840	1,852
				112	66.6			AUDI A4(8K),Q3(8U) VW SCIROCCO(13C) MERCEDES C CLASS (W205)			
		35(50)						AUDI A4(8K),S6(4G),Q3(8U),Q5(8R) MERCEDES S CLASS(W222)Fr,C CLASS (W205),E CLASS(W213) BMW 5er.(G30),3er(G20)Fr,i8(2Z15)Fr.			
		45(40)		114.3	73.1			η◿	3.9		
		38(48)						η▽Θ■◿◎#△α●◇			
		45(40)		120	72.6			TOYOTA ALPHARD(AGH40W)	3.8		
		38(48)									
20x9J	F3	23(41)	5	112	66.6	29-15	144,000	AUDI A5(8T) MERCEDES CLS450 4MATIC(C257)Fr. BMW Z4(G29)Fr,5er.(G30),3er(G20)Fr,7er(G11)Fr, TOYOTA GR SUPRA(DB)Fr.	3.7	840	1,852
	F2	37(34)		114.3	73.1			◿	6.4		
	F3	27(36)		120	72.6			BMW M4 Coupe(F82)Fr,M2 Coupe(F87)Fr,M5(F10) LEXUS LS500&500h(VXFA50&GVF55)Fr,LC500h(GWZ100) TESLA MODEL S(SL1S2A)Fr.	3.7		
20x9.5J	F3	42(28)	5	112	66.6	29-15	146,000	MERCEDES C CLASS (W205)Rr. BMW i8(2Z15)Rr. AUDI TT(8J)	3.7	840	1,852
		38(31)						MERCEDES S CLASS(W222)Rr,C CLASS (W205)Rr,E CLASS(W213)Rr. BMW 5er.(G30)Rr,3er(G20)Rr. McLaren 720S Fr.			
		45(24)		114.3	73.1			◿			
		38(31)						◿◎			
		28(41)						ηΘ◿◎α●◇			

20x10J	F3	45(31)	5	112	66.6	29-15	148,000	BMW 5er.(G30)Rr.	3.7	840	1,852
		28(48)						BMW Z4(G29)Rr,7er(G11)Rr,M4 Competition(G82)Fr. TOYOTA GR SUPRA(DB)Rr. PORSCHE Macan S(95BCTM) MERCEDES CLS450 4MATIC(C257)Rr. AUDI Q5(FYDETS)			
		30(46)		114.3	73.1			η▽Θ■◿◎＃△α●★◇			
		34(42)		120	72.6			BMW M4 Coupe(F82)Rr,M2 Coupe(F87)Rr. LEXUS LS500&500h(VXFA50&GVF55)Rr. TESLA MODEL S(SL1S2A)Rr.			
		28(48)						BMW M4 Coupe(F82)Rr,M2 Coupe(F87)Rr. LEXUS LS500&500h(VXFA50&GVF55)Rr,LC500h(GWZ100)Rr. TESLA MODEL S(SL1S2A)Rr.			
20x10.5J	F3	25(57)	5	114.3	73.1	29-15	150,000	η▽Θ■◿◎＃△α○☆◇	3.7	840	1,852
20x11J	F3	15(73)	5	112	66.6	29-15	152,000	McLaren 720S Rr. BMW M4 Competition(G82)Rr.	3.7	840	1,852
				114.3	73.1			η▽Θ■◿◎＃△α○☆◇			

Caution
[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ： GR86/BRZ(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ ： LANCER EVO.(VII～IX)
◆： GT-R (R35/φ380 rotor)
◇： GT-R (R35/φ380, φ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.