



# TE37

## SAGA S-plus



A.S.T. Crystal Buff (CB) 18inch



A.S.T. Brushed (AB) 18inch

Introducing the TE37SAGA S-plus, now with next-generation surface treatments.

### Spec

Product Name	TE37 SAGA S-plus A.S.T.
Size	18inch/19inch/20inch
Construction Method	Forged 1pc Wheel Knurling finish
Safety Standards	JWL+R Spec 2
Color	A.S.T. Brushed (AB) A.S.T. Crystal Buff (CB)
Included	No.60 INSIDE AIR VALVE RAYS CP
Optional	Center Cap, Vehicle Specific Parts Set

### Optional Parts

No.99 VR CAP MODEL-01 LOW DC/SL (O-Ring)、Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE ( mm )	HOLE	P.C.D.	HUB BORE ( φ )	DRILL ( φ )	PRICE		CALIPER CLEARANCE	DISK PROTRUSIO N ( mm )	Load (lbs)
							AB COLOR	CB COLOR			
18x7.5J	F1	48(26)	5	100	65	29-15	165,000	239,000	-	1.7	1,543
				114.3	73.1	32-15			∠		
18x8J	F1	45(28)	5	100	65	29-15	166,000	240,000	▼ §	1.7	1,543
				114.3	73.1	32-15			∅η∠≡		
				120	72.6				BMW 120i(E87)Rr.		
18x8.5J	F2	45(21)	5	100	65	29-15	167,000	241,000	-	-	1,543
		42(24)		112	66.6	32-15			AUDI TT(8J)		
	F1	50(30)		114.3	73.1				∇∅η■∠#▲≡	1.7	
	F2	42(24)			-				∅η■∠≡		
		35(31)				∇∅η■∠#△○★≡					
18x9J	F2	52(21)	5	100	65	29-15	168,000	242,000	-	-	1,543
	F3	27(33)		112	66.6	32-15			TOYOTA GR SUPRA RZ(DB42)Fr.		
	F2	45(28)		114.3	73.1				∇∅η■∠#□▲●≡		
	F3	35(25)			120				72.6		
	F2	50(23)		-		BMW M4 Coupe(F82)Fr,M3(E92)Fr.					
	F3	20(40)									
18x9.5J	F3	43(23)	5	100	65	29-15	169,000	243,000	▼ §	-	1,543
	F4	20(26)		112	66.6	32-15			TOYOTA GR SUPRA RZ(DB42)Fr.		
	F3	45(21)		114.3	73.1				∅η■∠≡		
		38(28)							∇∅η■∠◎#△○★◆≡		
	F4	30(21)		-	η∠◎●◆≡						
		22(24)			∇∅η■∠◎#□▲●★◆≡						
	F3	45(21)		120	72.6	HONDA CIVIC TYPE R(FK8,FL5)*					
	F4	20(26)			BMW M2 Coupe(F87)Fr,M4 Coupe(F82)Fr,M3(E92)						

18x10J	F4	34(24)	5	112	66.6	32-15	170,000	244,000	TOYOTA GR SUPRA RZ(DB42)Rr.	-	1,543
		35(23)		114.3	73.1				η■▲◎□◆■		
18x10.5J	F4	30(29)	5	112	66.6	32-15	171,000	244,000	TOYOTA GR SUPRA RZ(DB42)Rr.	-	1,543
		24(35)		114.3	73.1				▽θη■▲◎#△○☆◇■		
		15(44)							BMW M2 Coupe(F87)Rr,M4 Coupe(F82)Rr,M3(E92)Rr.		
		30(29)		120	72.6						
18x11J	F5	45(25)	5	114.3	73.1	32-15	172,000	246,000	▲◎◇◆	-	1,543
		13(45)							▽θη■▲◎#△○☆◇■		
18x12J	F5	26(45)	5	114.3	73.1	32-15	174,000	248,000	▽θη■▲◎#△○☆◇	-	1,543

19x8.5J	F1	45(32)	5	108	73.1	32-15	182,000	257,000	VOLVO XC40(XB), LAND ROVER DISCOVERY SPORT(LC2), RANGE ROVER EVOQUE(LZ)	1	1,797	
				112	66.6				AUDI A3(8V),A4(8E,8K) ※except 3.2FSI, MINI CROSSOVER(F60) VW GOLF(VII)※includes R			
	F2	38(23)							114.3	73.1		AUDI A3(8V),A4(8K)※except 3.2FSI, MINI CROSSOVER(F60)※except Cooper D VW GOLF(VII)※includes R
		22(33)		BMW 3er.(G20)Fr.								
	F1	45(32)			120				72.6	η▲◎■		1
		42(35)		ηθ■▲◎■								
	F2	38(23)		130	71.6				32-R14	η▲■		-
		36(25)								BMW:3er(F30)Fr.		
	F1	55(23)		130	71.6				32-R14	PORSCHE CAYMAN GT4(981DBX)Fr, BOXSTER(981)Fr.		1
		50(28)								PORSCHE 911 CARRERA S(997,991)Fr.		
19x9J	F1	35(32)	5	114.3	73.1	32-15	183,000	258,000	η▽▼θ■▲◎#△□▲αβγ○●Ω☆★Σ◇◆■	1	1,797	
	F3	23(29)		120	72.6				BMW M2(Competition 2U30)Fr,M2 Coupe(F87)Fr,M235i(F22)Fr,M235i Racing(F22)Fr.			-
	F2	46(28)		130	71.6				PORSCHE 911 GT3 RS(997)Fr.			

19x9.5J	F2	38(36)	5	112	66.6	32-15	184,000	259,000	BMW 3er.(G20)Rr	-	1,797	
	F3	25(22)							AUDI A5(8T), BMW 5er.(G30),Z4(G29)Fr. , TOYOTA GR SUPRA(DB)Fr.			
		15(32)							BMW M2 Coupe(G87)Fr,M4 Competition CCB (G82)Fr.			
	F2	45(29)		ηθ■▲◎≡								
		35(39)		η▽▼θ■▲◎#△□▲αβγ○●Ω★◆◇≡								
	F3	22(25)		ηθ■▲◎□▲αβ●◆◇≡								
	F4	12(40)		η▽▼θ■▲◎#□▲αβ●★◆◇≡								
	F1	55(35)		HONDA CIVIC TYPE-R(FK8,FL5)	1							
	F2	45(29)		BMW 3er.(F30)Rr., HONDA CIVIC TYPE-R(FK8,FL5)*	-							
36(32)		HONDA CIVIC TYPE-R(FK8,FL5)										
19x10J	F4	15(31)	5	112	66.6	32-15	185,000	260,000	BMW M2 Coupe(G87)Fr, M4 Competition CCB(G82)Fr.	-	1,797	
	F3	35(18)		114.3	73.1				η▲◎≡			
	F4	18(40)		120	72.6				ηθ■▲◎□▲αβ●◆◇≡			
	F3	34(31)		130	71.6				32-R14			BMW M2(Competition 2U30)Rr,M2 Coupe(F87)Rr,M235i(F22)Rr,M235i Racing(F22)Rr.
		40(26)		PORSCHE CAYMAN GT4(981DBX)Rr, BOXSTER(981)Rr.								
19x10.5J	F4	33(28)	5	112	66.6	32-15	186,000	261,000	BMW 5er.(G30)Rr,Z4(G29)Rr., TOYOTA GR SUPRA(DB)Rr.	-	1,797	
		30(31)		114.3	73.1				η▲◎◆◇≡			
		22(28)		130	71.6				32-R14			η▽▼θ■▲◎#□▲αβ●★◆◇≡
		15(38)		η▽▼θ■▲◎#△□▲αβγ○●Ω☆★Σ◇◆≡								
	F3	47(24)		PORSCHE CAYMAN GT4(981DBX)Rr, BOXSTER(981)Rr.								
19x11J	F4	35(21)	5	112	66.6	32-15	187,000	262,000	BMW Z4(G29)Rr., TOYOTA GR SUPRA(DB)Rr.	-	1,797	
		22(34)		114.3	73.1				η▽▼θ■▲◎#△□▲αβγ○●Ω★◆◇≡			
		18(41)		130	71.6				32-R14			η▽▼θ■▲◎#△□▲αβγ○●Ω☆★Σ◇◆≡
	F3	50(29)		PORSCHE CAYMAN GT4(981DBX)Rr.								
19x11.5J	F3	62(23)	5	130	71.6	32-R14	188,000	263,000	PORSCHE 911 CARRERA S(997,991)Rr.	-	1,797	
19x12J	F4	48(36)	5	130	71.6	32-R14	189,000	264,000	PORSCHE 911 GT3 RS(997)Rr.	-	1,797	

20x8.5J	F1	43(36)	5	108	73.1	32-15	235,000	315,000	VOLVO V60(FB420)	4.5	1,852	
		36(43)		112	66.6				AUDI RS3(8VCZGF/8VDAZL/GYDNWF)			
	F2	25(44)		114.3	73.1				BMW 530i(G30)Fr.	1		
	F1	45(34)		120	72.6				η■▲◎■	4.5		
		36(43)		32-R14	71.6				▽▼θη■▲◎#▲▲□αβγ○●Ω★◆◆■			
		45(34)							TOYOTA ALPHARD(AGH40W)			
		38(41)							PORSCHE 911CarreraS(991)Fr,BOXSTER(981)Fr,Cayman GT4(981DBX)Fr.			
50(29)												
20x9J	F2	27(49)	5	112	66.6	32-15	236,000	316,000	AUDI S5(F5CWGL),S7(4GCEUL), Q5(FYDETS), BMW Z4 M40i(G29)Fr. BENZ AMG E43 4MATIC(W213),CLS450 4MATIC(C257)	1	1,852	
	F3	20(36)							114.3	73.1		PORSCHE Macan S(95BCTM(A))Fr.
	F2	37(39)		120	72.6				▽▼θη■▲◎#▲▲□αβ◆◆◆■	1		
		44(32)							LANDROVER DEFENDER(LE72WAB)			
		38(38)							TESLA MODEL X(Fr)			
	F3	22(34)		BMW M2 Competition(F87)Fr,M4 Coupe(F82)Fr., LEXUS LC500h(GWZ100)Fr.	-							
	F1	55(31)		130	71.6				32-R14	PORSCHE Cayman GT4(981DBX)Fr.		4.5
	F2	45(31)								PORSCHE Cayman GT4(981DBX)Fr.*		1
20x9.5J	F3	25(37)	5	112	66.6	32-15	237,000	317,000	BMW Z4 M40i(G29)Fr,330i(G20)Fr,M4 Competition(G82)Fr.	-	1,852	
	F2	38(44)							114.3	73.1		▽▼θη■▲◎#▲▲□αβγ○●Ω★◆◆■
	F3	29(33)		120	72.6				η▲◎●◆◆■	-		
	F4	20(42)		BMW M2 Competition(F87)Fr,M4 Coupe(F82)Fr.								
20x10J	F4	15(43)	5	112	66.6	32-15	238,000	318,000	BMW M4 Competition(G82)Fr., PORSCHE Macan S(95BCTM(A))Rr.	-	1,852	
		30(28)		114.3	73.1				η▲◎●◆◆■			
	F3	38(30)		120	72.6				TESLA MODEL X(Rr)			
	F4	30(28)		130	71.6				32-R14			TESLA MODEL X(5YJXDCE), BMW X6(F16)
	F3	40(28)										PORSCHE 718Cayman(982H1)Rr.,BOXSTER(981)Rr.

20x10.5J	F4	32(33)	5	112	66.6	32-15	239,000	319,000	BMW Z4 M40i(G29)Rr.	-	1,852		
	F5	15(33)		114.3	73.1				▽▼θη■▲◎#△▲□αβγ○●Ω★◆◇■				
	F4	22(33)		120	72.6				BMW M2 Competition(F87)Rr,M4 Coupe(F82)Rr.				
		34(31)							LEXUS LC500h(GWZ100)Rr.				
		22(43)											
20x11J	F5	15(39)	5	112	66.6	32-15	240,000	320,000	BMW M4 Competition(G82)Rr. , PORSCHE Macan S(95BCTM(A))Rr.	-	1,852		
		28(26)		114.3	73.1				▽▼θη■▲◎#△▲□αβ●★◆◇■				
		10(44)		130	71.6				▽▼θη■▲◎#△▲□αβγ○●Ω☆★Σ◇◆■				
	F2	70(31)		32-R14					PORSCHE 911CarreraS(991)Rr.	1			
	F3	50(31)							PORSCHE Cayman GT4(981DBX)Rr.	-			
20x12J	F4	48(36)	5	114.3	73.1	32-15	242,000	322,000	θη■▲◎#△▲□αβ●★◆◇■	-	1,852		
	F5	20(44)										▽▼θη■▲◎#△▲□αβγ○●Ω☆★Σ◇◆■	
	F3	58(36)										PORSCHE 911CarreraS(991)Rr.*	

## Caution

※PORSCHÉ SIZE: can be used with OEM nuts and bolts, all sizes have 14mm nut/bolt hole (Drill  $\phi 32-\phi 15$ ), all sizes are Porsche hubcentric.

※Hub Clearance listed with VR Center Cap Model-01 Low installed. High-type Center Caps add an extra 11mm clearance.

※ \* : Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.

## [ CALIPER CLEARANCE ]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

§ : GR 86/BRZ Brenbo (ZN8/ZD8)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

# : SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)

● : FAIRLADY Z (Z34, RZ34 ※except NISMO)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/ $\phi 380$  rotor)

◇ : GT-R (R35/ $\phi 380$ ,  $\phi 390$  rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.