

Sakura Pink（PPP）18x9.5J

Gram Lights 57CR LIGHT WEIGHT CONCEPT

The Bold Pink Is Back

Spec

Product Name	57CR SAKURA PINK
Size	18inch
Construction Method	Cast 1pc. Wheel
Safety Standards	JWL+R Spec1
Color	SAKURA PINK（PPP）
Included	No.14 GL CAP BK/BK、No.21 INSIDE ALUMINUM AIR VALVE BK

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE	CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
						PPP COLOR				
18x8.5J	45(28)	5	100	65	29-15	65,000	▼	0.4	700	1,543
	50(23)		114.3	73.1			▽Θη◿〓			
	37(36)						▽Θη■◿#△○☆〓			
			120	75			HONDA CIVIC TYPE R (FL5/FK8/FK2)			
18x9.5J	38(24)	5	100	65	29-15	67,000	▼	-	690	1,521
			114.3	73.1			▽Θη■◿▲α●〓			
	22(40)						▽Θη■◿#△○☆◆〓			
	12(50)									
	38(34)		120	75			HONDA CIVIC TYPE R (FL5/FK8/FK2)			
	22(50)						-			
	12(60)									
18x10.5J	22(31)	5	114.3	73.1	29-15	69,000	▽Θη■◿#△○☆◆〓	-	690	1,521
	12(41)									
	22(31)		120	75			-			
	12(41)									

Caution
※Hub clearance is the measurement to the center cap attachment.

[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ： GR86/BRZ(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.