HOMURA JAPAN QUALITY 2x9R

NEW STANDARD



DMC/Side Sunlight Silver（ZAJ）20x8.5J



DMC/Side Sunlight Silver（ZAJ）19x8.0J



DMC/Side Sunlight Silver（ZAJ）20x9.0J 6H

Spec

Product Name	2x9R
Size	18inch/19inch/20inch/21inch/22inch
Construction Method	Cast 1pc Wheel 18,19, 20x8.5, 21inch is Reverse Rim
Safety Standards	5H Model: JWL+R Spec.1 6H Model: JWL&JWL-T+R Spec.1
Color	DMC/Side Sunlight Silver（ZAJ） Super Dark Gunmetal(ANJ) Glossy Black(BNJ) DMC/Side Grace Silver(QAJ) (21,22inch：HDJ)＊Orders are temporarily suspended
Included	Choose from LOW or HI center cap. Default is LOW type. No.25 GENERAL CAP V1 LOW BK/Chrome、 No.72 GENERAL CAP V1 HI BK/Chrome、 No.21 INSIDE ALUMINUM AIR VALVE BK

The photo is a representative image. Please visit our website for other types of product images

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE					CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
						BNJ COLOR	ANJ COLOR	ZAJ COLOR	QAJ COLOR	HDJ COLOR				
18x7.5J	50(44)	5	100	65	29-15	71,000	71,000	80,000	81,000	-	-	1.1	720	1,587
	48(46)		108	73.1							VOLVO V40(MB),XC60(UD)			
			112	66.6							BMW X1(U11),MINI COOPER S(F56)*, AUDI Q3(F3DFY),BENZ A180(W177)*,PEUGEOT 308(P52)*,VW GOLF(VI*,VII*,VIII*)			
	38(56)										BMW X1(U11)*, AUDI A4(8W), AUDI Q3(F3DFY)*			
	50(44)		114.3	73.1							-			
	43(51)										η			
	38(56)										Θη#▲			
	42(52)		120	72.6							TOYOTA ALPHARD(40)			
19x8J	48(41)	5	108	73.1	29-15	80,000	80,000	88,000	90,000	-	-	2.6	720	1,587
	40(49)										VOLVO XC60(UD)			
	45(44)		112	66.6							AUDI A3 Sedan(8V), BENZ A180(W177)			
	52(37)		114.3	73.1				80,000			-			
	45(44)							88,000			⊿			
	38(51)										η⊿〓			
	42(47)		120	72.6							TOYOTA ALPHARD(40), HONDA CIVIC TYPE-R(FL5)			

20x8.5J	36	5	112	66.6	29-15	-	88,000	-	-	-	⊿	2.3	705	1,554
	45(33)		114.3	73.1		88,000		90,000	102,000					
	38(40)										⊿◎〓η			
	45(33)		120	72.6							TOYOTA ALPHARD(40)			
	38(40)										TOYOTA ALPHARD(40)*			
20x9J	55	6	139.7	106.1	29-15	93,000	93,000	98,000	107,000	-	-	1.6	955	1,554

21x9J	45(33)	5	114.3	73.1	29-15	106,000	106,000	-	-	125,000	⊿〓	2.4	705	1,554
											⊿◎〓η			
											⊿〓			
	38(40)										⊿◎〓η			
	45(33)		120	72.6							TOYOTA ALPHARD(40)			
	38(40)													
	30(48)					-	-				TOYOTA ALPHARD(40)**,CROWN SEDAN(AZSH32)			

22x10J	55(39)	6	139.7	106.1	29-15	130,000	130,000	-	-	152,000	-	2.4	955	2,105
	45(49)													

Caution

[CALIPER CLEARANCE]
＊QAJ and HDJ colors are temporarily unavailable for orders.

▼： IMPREZA (GDB 4POT), 86/BRZ(ZN6/ZC6)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ： GR86/BRZ(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.