

Pressed Black (PB) 19x11J



Pressed Black (PB)



Pressed Black (PB) 20x11J

The photo is a representative image. Please visit our website for other types of product images

VOLK RACING TE37SL SAGA M-SPEC

Evolution through 100% new design and inherited performance.

Spec

Product Name	TE37 SAGA SL M-SPEC
Size	15inch/18inch/19inch/20inch
Construction Method	Forged 1pc Wheel ※Knurling Finish
Safety Standards	JWL+R Spec 2
Color	Pressed Black (PB)
Optional Color	OP-2: Extra ￥3,000 from PB color HL color, IG color, MR color: Extra ￥4,000 SZ color, SI color, HM color: Extra ￥7,000 Dash White(DW)、 Matte Black(MB)、 Red(RE)、 Diamond Black(DB)、 MAG Blue(BL)、 Black(BK)、 Matte Gunbronze(MZ)、 Matte Blue Gunmetal(GB)、 Gunmetal(GM)、 Gold(GO)、 Diamond Silver(DS)、 Dark Gunmetal(DG)、 Hyper Blue(HL)、 Racing Green(IG)、 Metallic Red(MR)、 Shining Light Metal(SI)、 Shining Black Metal(HM)、 Shining Bronze Metal(SZ)
Included	Luminous Spoke Sticker (3pcs) Optional Color orders will include the MODEL-01 LOW SG color center cap by default. No.49 EUROPEAN ALUMINUM VALVE RAYS BK、 VR Center Cap Model-01 LOW SG
Optional	Center Cap, Vehicle Specific Parts Set

Optional Parts

No.94 VR CAP MODEL-37 BK-Almite、 Vehicle Specific Parts Set、 MODEL-01 LOW OPTIONAL COLOR CENTER CAPS、 MODEL-01 HI OPTIONAL COLOR CENTER CAPS、 VR Center Cap Model-01 LOW SG、 VR Center Cap Model-01 HI SG

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE	CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
							PB COLOR				
15x7J	F2	38(20)	4	100	65	29-13	80,500	-	0.5	620	1,367
	F1	35(33)							3.7		
	F2	25(33)							0.5		
	F1	35(33)	5	114.3	73.1	32-13			3.7	690	1,521
15x7.5J	F3	28(25)	4	100	65	29-13	81,500	-	-	620	1,367
		21(32)									
		28(25)		114.3	73.1	32-13				690	1,521
15x8J	F3	35(24)	4	100	65	29-13	82,500	-	-	620	1,367
		25(34)									
		20(39)									
		35(24)	5	114.3	73.1	32-13				690	1,521
18x8.5J	F3	42	5	112	66.6	32-15	112,500	AUDI A4 (8K)*, VW GOLF V*/VI*/VII*	-	700	1,543
		38		114.3	73.1			▽θη■⊿#△○★〓			
18x9.5J	F4	45	5	100	65	29-15	114,500	▼	-	700	1,543
		39		114.3	73.1	32-15		▽θη■⊿#△○★〓			
		22						▽θη■⊿◎#△〇☆◇〓			
		38		120	72.6			HONDA CIVIC TYPE R(FK8)			
18x10.5J	F5	15	5	114.3	73.1	32-15	116,500	▽θη■⊿◎#△〇☆◇〓	-	700	1,543

19x8.5J	F1	44(32)	5	108	73.1	32-15	131,000	VOLVO XC40(XB), LAND ROVER DISCOVERY SPORT(LC2), RANGE ROVER EVOQUE(LZ)	1	815	1,797
				112	66.6			AUDI A3(8V),A4(8E,8K) ※except 3.2FSI,MINI CROSSOVER(F60),VW GOLF(Ⅶ)※includes R			
	F2	37(23)						AUDI A3(8V),A4(8K)※except 3.2FSI,MINI CROSSOVER(F60)※except Cooper D,VW GOLF(Ⅶ)※includes R	-		
		21(33)						BMW 3er.(G20)Fr.			
	F1	41(35)		114.3	73.1			ηθ■◿◎〓	1		
	F2	37(23)						η◿〓	-		
	F1	54(20)		130	71.6	32-R14		PORSCHE CAYMAN(981,987)Fr,PORSCHE BOXSTER(981,987)Fr.	1		
		49(25)						PORSCHE CAYMAN981 GT4 Fr.,BOXSTER(981)Fr.			
19x9J	F1	34(37)	5	114.3	73.1	32-15	132,500	η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ??〓	1	815	1,797
	F3	22(29)		120	72.6			BMW M2(Competition 2U30)Fr,M2 Coupe(F87)Fr,M235i(F22)Fr,M235i Racing(F22)Fr.	-		
	F2	45(25)		130	71.6	32-R14		PORSCHE 997GT3 RS Fr.			
19x9.5J	F2	37(36)	5	112	66.6	32-15	134,000	BMW 3er.(G20)Rr	-	815	1,797
	F3	24(22)						AUDI A5(8T), BMW 5er.(G30),Z4(G29)Fr.※except fixed caliper ,TOYOTA GR SUPRA(DB)Fr.※except 2025/MC			
		14(32)						BMW M2 Coupe(G87)Fr, M4 Competition CCB (G82)Fr.			
	F2	44(29)		114.3	73.1			ηθ■◿◎〓			
		34(39)						η▽▼θ■◿◎#△□▲αβγ○●Ω★??〓			
	F3	21(25)						ηθ■◿◎□▲αβ●??〓			
	F4	11(40)						η▽▼θ■◿◎#□▲αβ●★??〓			
	F1	54(35)		120	72.6			HONDA CIVIC TYPE-R(FK8,FL5)	1		
	F2	44(29)						BMW 3er.(F30)Rr., HONDA CIVIC TYPE-R(FK8,FL5)	-		
		35(32)						HONDA CIVIC TYPE-R(FK8,FL5)			
	F3	21(25)									

19x10J	F3	34(18)	5	114.3	73.1	32-15	135,500	η◿◎〓	-	815	1,797
	F4	17(28)						ηθ■◿◎□▲αβ●??〓			
	F3	33(31)		120	72.6			BMW M2(Competition 2U30)Rr,M2 Coupe(F87)Rr,M235i(F22)Rr,M235i Racing(F22)Rr.			
		39(23)		130	71.6	32-R14		PORSCHE CAYMAN 981 GT4 Rr,BOXSTER(981)Rr.			
19x10.5J	F4	32(31)	5	112	66.6	32-15	137,000	BMW 5er.(G30)Rr,Z4(G29)Rr., TOYOTA GR SUPRA(DB)Rr.	-	815	1,797
		29(34)		114.3	73.1			η◿◎◇◆〓			
		21(31)						η▽▼θ■◿◎#□▲αβ●★??〓			
		14(38)						η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ??〓			
	F3	46(22)		130	71.6	32-R14		PORSCHE CAYMAN 981 GT4 Rr,BOXSTER(981)Rr			
19x11J	F4	21(37)	5	114.3	73.1	32-15	138,500	η▽▼θ■◿◎#△□▲αβγ○●Ω★??〓	-	815	1,797
		17(41)						η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ??〓			
		36(22)		120	72.6			HONDA CIVIC TYPE-R(FK8,FL5)			
19x12J	F4	47(33)	5	130	71.6	32-R14	141,500	PORSCHE 997 GT3 RS Rr. YM:2007	-	815	1,797

20x8.5J	F1	42(36)	5	108	73.1	32-15	147,500	VOLVO V60(FB420)	4.5	840	1,852
		35(43)		112	66.6			AUDI RS3(8VCZGF/8VDAZL/GYDNWF)			
	F2	24(44)						BMW 530i(G30)Fr.	1		
	F1	44(34)		114.3	73.1			η■◿◎〓	4.5		
		35(43)						▽▼θη■◿◎#△▲□αβγ○●Ω★◇◆〓			
		44(34)		120	72.6			TOYOTA ALPHARD(AGH40W)			
		37(41)									
		49(29)		130	71.6	32-R14		PORSCHE 911CarreraS(991)Fr.,BOXSTER(981)Fr.,Cayman GT4(981DBX)Fr.			

20x9J	F2	26(49)	5	112	66.6	32-15	149,500	AUDI S5(F5CWGL),S7(4GCEUL),Q5(FYDETS)BMW Z4 M40i(G29)Fr.BENZ AMG E43 4MATIC(W213),CLS450 4MATIC(C257)	1	840	1,852
	F3	19(36)						PORSCHE Macan S(95BCTM(A))Fr.	-		
	F2	36(39)		114.3	73.1			▽▼θη■◿◎#▲□αβ●◇◆〓	1		
		43(32)		120	72.6			LANDROVER DEFENDER(LE72WAB)			
		37(38)						TESLA MODEL X(Fr)			
	F3	21(34)						BMW M2 Competition(F87)Fr.,M4 Coupe(F82)Fr.LEXUS LC500h(GWZ100)Fr.	-		
	F1	54(31)		130	71.6	32-R14		PORSCHE Cayman GT4(981DBX)Fr.	4.5		
	F2	44(31)							1		
	F3	17			84.1	32-15		BENZAMG G63 GELANDEWAGEN (W463)G350 GELANDEWAGEN (W463)G400d(W463)	-		
	F1	48	CENTER	LOCK	84	5H-20	144,000	PORSCHE 911GT3(991)Fr.,911 Turbo S(991)Fr.	4.5		
20x9.5J	F3	24(37)	5	112	66.6	32-15	151,500	BMW Z4 M40i(G29)Fr.,330i(G20)Fr.,M4 Competition(G82)Fr.	-	840	1,852
	F2	37(44)		114.3	73.1			▽▼θη■◿◎#△▲□αβγ○●Ω★◇◆〓	1		
	F3	28(33)						η◿◎●◇◆〓	-		
	F4	19(42)		120	72.6			BMW M2 Competition(F87)Fr.,M4 Coupe(F82)Fr.			
	F2	44	CENTER	LOCK	84	5H-20	146,000	PORSCHE 911GT3(991)Fr.	1		
	F3	24	5	130	84.1	32-15	151,500	BENZAMG G63 GELANDEWAGEN (W463)G350 GELANDEWAGEN (W463)G400d(W463)	-		
	F4	19									
20x10J	F4	14(43)	5	112	66.6	32-15	153,500	BMW M4 Competition(G82) PORSCHE Macan S(95BCTM(A))Rr.	-	840	1,852
		29(28)		114.3	73.1			η◿◎●◇◆〓			
	F3	37(30)		120	72.6			TESLA MODEL X(Rr.)			
	F4	29(28)						TESLA MODEL X(5YJXDCE), BMW X6(F16)			
	F3	39(28)		130	71.6	32-R14		PORSCHE BOXSTER(981)Rr.			

20x10.5J	F4	31(33)	5	112	66.6	32-15	155,500	BMW Z4 M40i(G29)Rr.	-	840	1,852
	F5	14(33)						BMW M4 Competition(G82)Rr.			
	F4	21(33)		114.3	73.1			▽▼θη■◿◎#△▲□αβγ○●Ω★◇◆〓			
		33(31)		120	72.6			BMW M2 Competition(F87)Rr.,M4 Coupe(F82)Rr.			
		21(43)						LEXUS LC500h(GWZ100)Rr.			
20x11J	F5	14(39)	5	112	66.6	32-15	157,500	BMW M4 Competition(G82)Rr. PORSCHE Macan S(95BCTM(A))Rr.	-	840	1,852
		27(26)		114.3	73.1			▽▼θη■◿◎▲□αβ●★◇◆〓			
		9(44)						▽▼θη■◿◎#△▲□αβγ○●Ω☆★Σ◇◆〓			
	F2	69(31)		130	71.6	32-R14		PORSCHE 911CarreraS(991)Rr.	1		
	F3	49(31)						PORSCHE Cayman GT4(981DBX)Rr.	-		
20x11.5J	F2	54	CENTER	LOCK	84	5H-20	154,000	PORSCHE 911 Turbo S(991)Rr.	1	840	1,852
	F3	45							-		
20x12J	F4	47(36)	5	114.3	73.1	32-15	161,500	θη■◿◎▲□αβ●★◇◆〓	-	840	1,852
	F5	19(44)						▽▼θη■◿◎#△▲□αβγ○●Ω☆★Σ◇◆〓			
	F3	57(36)		130	71.6	32-R14		PORSCHE 911CarreraS(991)Rr.			
	F4	43	CENTER	LOCK	84	5H-20	156,000	PORSCHE 911GT3(991)Rr.			

Caution
・Hub clearance listed is with the VR CAP MODEL-01 LOW installed. HI-type center cap adds extra 11mm clearance.
※＊：Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.

[CALIPER CLEARANCE]
▼：IMPREZA (GDB 4POT)、86/BRZ Brembo(ZN6、ZC6)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34)
●： FAIRLADY Z (Z34)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.