

Blast Gunmetal (BW) 19x10J



Blast Gunmetal (BW) w/Optional Sticker Set installed



Blast Gunmetal (BW) 18inch

VOLK RACING ORIGINAL CE28 N-plus M-SPEC

The lightest forged wheel, comparable to TE37

Spec

Product Name	CE28N-plus M-SPEC
Size	17inch, 18inch, 19inch
Construction Method	Forged 1pc. Wheel Knurling finish
Safety Standards	JWL+R Spec 2
Color	Blast Gunmetal (BW)
Optional Color	OP-2: Extra ￥3,000 from BW color HL color, IG color: Extra ￥4,000 SZ color, SI color, HM color: Extra ￥7,000 Dash White(DW)、 Matte Black(MB)、 Red(RE)、 Diamond Black(DB)、 MAG Blue(BL)、 Black(BK)、 Matte Gunbronze(MZ)、 Matte Blue Gunmetal(GB)、 Gunmetal(GM)、 Gold(GO)、 Diamond Silver(DS)、 Dark Gunmetal(DG)、 Hyper Blue(HL)、 Racing Green(IG)、 Metallic Red(MR)、 Shining Light Metal(SI)、 Shining Black Metal(HM)、 Shining Bronze Metal(SZ)
Included	Optional Color orders will include the MODEL-01 LOW SG color center cap by default. No.49 EUROPEAN ALUMINUM VALVE RAYS BK、 No.79 VR CAP MODEL-01 LOW BW、 VR Center Cap Model-01 LOW SG
Optional	Optional Sticker Set, Center Cap, Vehicle Specific Parts Set

Optional Parts

Vehicle Specific Parts Set、 CE28N-plus M-SPEC STICKER 3PC SET YL、 No.79 VR CAP MODEL-01 LOW BW、 No.109 VR CAP MODEL-01 HI BW、 MODEL-01 LOW OPTIONAL COLOR CENTER CAPS、 MODEL-01 HI OPTIONAL COLOR CENTER CAPS、 VR Center Cap Model-01 LOW SG、 VR Center Cap Model-01 HI SG

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE	CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
							BW COLOR				
17x7.5J	F1	36(28)	4	98	65	29-15	99,500	FIAT ABARTH595(312141)	7.17	530	1,168
		38(39)		100				Ψ			
		31(33)						-			
		39(38)	5	112	66.6	32-15		MINI JCW(F56)		720	1,587
		44(33)		114.3	73.1			▽θ■＃▲			
17x8J	F2	34(25)	4	100	65	29-15	100,500	Ψ	-	530	1,168
		25(34)	5					▼§		720	1,587
		38(34)		114.3	73.1	32-15		▽θ■＃▲γΩ			
17x8.5J	F2	35(31)	4	100	65	29-15	101,500	Ψ	-	530	1,168
		45(34)	5					▼§		720	1,587
		44(35)		112	66.6	32-15		VW GOLF V (GTI/includes R32),Ⅵ(includes R),Ⅶ(GTI/includes R),Ⅷ(except VARIANT)			
		40(26)		114.3	73.1			▽θη■＃▲γΩΣ			
		36(30)		120	72.6			BMW M3(E46)			
17x9J	F2	45(40)	5	100	65	29-15	102,500	▼§	-	720	1,587
	F3	38(31)						▽▼θη■◿◎＃△▲□αβγ○●Ω☆★Σ◇◆Ψ〓			
	F1	61(35)		114.3	73.1	32-15		▽θ■＃▲γΩ	7.17		
	F2	45(40)						▽θη■〓	-		
	F3	38(31)						▽θη■＃▲γΩ〓			
		22(34)						▽θη■◿＃△α○Σ〓			
		15(41)									

17x9.5J	F2	45(33)	5	114.3	73.1	32-15	103,500	▽θη■＃▲γΩΣ〓	-	720	1,587
		40(38)						▽θη■◿＃▲γΩΣ〓			
	F3	38(37)						▽θη■〓			
		18(44)						▽θη■◿＃△α○☆Σ〓			
17x10J	F3	38(31)	5	114.3	73.1	32-15	104,500	▽θη■◿＃▲γΩΣ〓	-	720	1,587

18x7.5J	F1	48(23)	5	114.3	73.1	32-15	108,500	η▽θ◿〓	6.9	700	1,543
		45(26)						-	-		
		38(33)									
18x8J	F2	45(22)	5	100	65	29-15	109,500	▼§	-	700	1,543
				108	73.1	32-15		VOLVO XC40,XC60,V40,V60, RANGE ROVER EVOQUE,VELAR			
				112	66.6			VW GOLF V (GTI/includes R32),Ⅵ(includes R),Ⅶ(GTI/includes R),Ⅷ(includes R),AUDI A3,A4			
				114.3	73.1			ηθ◿〓			
18x8.5J	F2	45(38)	5	100	65	29-15	110,500	▼§	-	700	1,543
		42(31)		108	73.1			FORD FOCUS, VOLVO XC40,XC60,V40,V60			
		45(28)		112	66.6	32-15		VW GOLF V (GTI/includes R32),Ⅵ(includes R),Ⅶ(GTI/includes R),Ⅷ(includes R), AUDI A3(8V),A4(8K)			
		45(38)		114.3	73.1			η▽θ■◿＃▲γ○〓			
		38(35)						η▽θ■◿＃△α○☆Σ〓			
		30(28)						η▽θ■◿＃△α○☆Σ〓			
18x9J	F3	39(21)	5	100	65	29-15	111,500	▼§	-	700	1,543
	F2	40(39)									
		52(27)									
	F1	63(27)		114.3	73.1	32-15		η▽θ■◿＃▲〓			
	F2	45(34)						η▽θ■◿＃△α○☆Σ〓			
		38(26)		112	66.6			AUDI RS3(8V),TT(8J) VW GOLF(Ⅴ /Ⅵ/Ⅶ/Ⅷ)			

18x9.5J	F3	41(25)	5	100	65	29-15	112,500	▼§	-	700	1,543
	F2	45(26)		114.3	73.1	32-15		η▽θ■◿#△α○☆Σ〓			
	F3	38(28)						η▽θ■◿#△α○★〓			
	F4	22(34)						η▽θ■◿◎#△α○☆Σ?〓			
		12(31)						η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ??〓			
		22(34)		112	66.6			TOYOTA GR SUPRA(DB)Fr BMW Z4(G29), M3/M4(G80/G82) AUDI RS5(F5),S5(F5)			
	F3	38(28)		120	72.6			HONDA CIVIC TYPE-R(FK8,FL5),BMW M2(F87)			
	F2	45(26)						HONDA CIVIC TYPE-R(FK8,FL5) BMW M2(F87),M3(E46)			
18x10J	F3	40(32)	5	114.3	73.1	32-15	113,500	η▽▼θ■◿◎#△□▲αβγ○●Ω★?〓	-	700	1,543
				120	72.6			HONDA CIVIC TYPE-R(FK8,FL5)			
18x10.5J	F4	15(40)	5	114.3	73.1	32-15	114,500	η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ?〓	-	700	1,543
		22(46)									
		34(34)		112	66.6			TOYOTA GR SUPRA(DB)Fr BMW Z4(G29), M3/M4(G80/G82)			
18x11J	F4	15(47)	5	114.3	73.1	32-15	115,500	η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ?〓	-	700	1,543
		34(41)		112	66.6			TOYOTA GR SUPRA(DB)Rr BMW Z4(G29), M3/M4(G80/G82)			

19x8J	F1	48(20)	5	112	66.6	32-15	127,500	VW GOLF(Ⅷ)※includes R	1.8	720	1,587
				114.3	73.1			η◿〓			
19x8.5J	F1	45(30)	5	108	73.1	32-15	129,000	VOLVO XC40(XB), LAND ROVER DISCOVERY SPORT(LC2), RANGE ROVER EVOQUE(LZ)	1.8	720	1,587
	F2	38(24)		112	66.6			AUDI A3(8V),A4(8E,8K) ※except 3.2FSI, MINI CROSSOVER(F60)※except Cooper D, VW GOLF(Ⅶ)※includes R	-		
		22(28)						BMW 3er.(G20)Fr.			
	F1	45(30)		114.3	73.1			▽θη■◿◎#▲γΩ〓	1.8		
	F2	38(24)						▽θη■◿◎#▲〓	-		
		36(26)		120	72.6			BMW 3er.(F30)Fr.			
19x9J	F2	35(33)	5	114.3	73.1	32-15	130,500	▽θη■◿◎#△α○☆◇〓	-	720	1,587
	F3	23(20)		120	72.6			BMW M2 Competition (F87)Fr,M2 Coupe(F87)Fr,M235i(F22)Fr.			

19x9.5J	F2	38(25)	5	112	66.6	32-15	132,000	BMW 3er.(G20)Rr.	-	720	1,587
	F3	25(25)						TOYOTA GR SUPRA(DB)Fr., BMW 5er.(G30)Fr,Z4(G29)Fr,M2 Coupe(G87)Fr,M4 Competition（G82)Rr.			
	F2	45(30)		114.3	73.1			▽θη■◿◎＃△α○◇〓			
		35(28)						▽θη■◿◎＃△α○☆◇〓			
	F3	22(28)						▽θη■◿◎＃△α○◇〓			
	F4	12(28)									
	F2	55(20)		120	72.6			HONDA CIVIC TYPE R(FK8,FL5)			
		45(30)						HONDA CIVIC TYPE R(FK8,FL5), BMW 3er.(F30)Rr.			
		36(27)						HONDA CIVIC TYPE R(FK8,FL5)			
	F3	22(28)						BMW 3er.(E92)Fr., TESLA MODEL S(SL1S2A)			
19x10J	F3	35(21)	5	114.3	73.1	32-15	133,500	▽θη■◿◎＃▲〓	-	720	1,587
	F4	18(28)						▽θη■◿◎＃△α○◇〓			
	F3	34(22)		120	72.6			BMW M2 Competition(F87)Rr,M2 Coupe(F87)Rr,M235i(F22)Rr.			
19x10.5J	F3	33(29)	5	112	66.6	32-15	135,000	TOYOTA GR SUPRA(DB)Rr., BMW 5er.(G30)Rr,Z4(G29)Rr,M2 Coupe(G87)Fr,M4 Competition（G82)Rr.	-	720	1,587
		30(32)		114.3	73.1			▽θη■◿◎＃△α○☆◇〓			
	F4	22(30)						▽θη■◿◎＃△α○◇〓			
		15(37)						▽θη■◿◎＃△α○☆◇〓			
	F3	35(27)		120	72.6			BMW 3er.(E92), TESLA MODEL S(SL1S2A)			
19x11J	F4	35(24)	5	112	66.6	32-15	136,500	TOYOTA GR SUPRA(DB)Rr., BMW Z4(G29)Rr.	-	720	1,587
		22(25)		114.3	73.1			▽θη■◿◎＃△α○☆◇〓			
		15(44)									
	F3	37(30)		120	72.6			BMW 3er.(E92), TESLA MODEL S(SL1S2A)			

Caution
* ：Tuner size. Sample fitments are for reference only.

[CALIPER CLEARANCE]
▼：IMPREZA (GDB 4POT)、86/BRZ Brembo(ZN6、ZC6)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ：GR86 Brembo (ZN8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34)
●： FAIRLADY Z (Z34, RZ34)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.