

White (WH) 18x8.5J +46



Bronze (Almite) (BR)

VOLK RACING ORIGINAL TE37 SAGA S-plus 30th ANNIVERSARY

What's engraved is not 30 years, but the will to evolve. TE37 30th Anniversary Model

Spec

Product Name	TE37 SAGA S-plus 30TH STICKER Ver.
Size	17inch/18inch/19inch/20inch
Construction Method	Forged 1pc Wheel 17inch Reverse Rim Knurling finish
Safety Standards	JWL+R Spec 2
Color	White (WH) Bronze (Almite) (BR) ※Bronze color (Almite) may have uncolored areas besides the design surface. Thank you for your understanding.
Included	Spoke Stickers: 18 inch and below: No.15/16 19 inch and above: No.17/18 30th Anniversary Exclusive Sticker No.54 EUROPEAN ALUMINUM VALVE RAYS BL、 No.15 REPAIR STICKER TE37 2PC BK、 No.16 REPAIR STICKER TE37 2PC BL、 No.46 REPAIR STICKER TE37 2PC L BK、 No.42 REPAIR STICKER TE37 2PC L BL

Optional Parts

No.53 VR CAP MODEL-01 LOW BR、 No.56 VR CAP MODEL-01 HI BR、 No.93 VR CAP MODEL-37 BR、 No.113 VR CAP MODEL-01 LOW WH、 No.114 VR CAP MODEL-01 HI WH、 No.98 VR CAP MODEL-37 WH

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE		CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
							WH COLOR	BR COLOR				
15x7J	F1	35(44)	4	100	65	29-15	64,000	69,000	-	3.73	520	1146
	F2	25(44)								0.47		
15x8J	F3	35(35)	4	100	65	29-15	67,000	72,000	-	-	520	1146
		25(44)										
		35(35)	5	114.3	73.1	32-15						
17x7J	F1	45(24)	4	100	65	29-15	87,000	91,000	-	3.4	530	1,168
17x7.5J	F1	38(31)	4	100	65	29-15	88,000	92,000	ψ	3.4	530	1,168
		44(32)	5						Θ		700	1,543
		48(28)		114.3	73.1	32-15			-			
		44(32)							Θ			
17x8J	F2	38(27)	5	114.3	73.1	32-15	89,000	93,000	▽Θ#▲	-	700	1,543
17x8.5J	F2	40(31)	4	100	65	29-15	90,000	94,000	ψ	-	530	1,168
		45(26)	5						▼		700	1,543
17x9J	F4	22(31)	5	114.3	73.1	32-15	91,000	95,000	▽Θ#▲γΩ	-	700	1,543
18x7.5J	F1	48(26)	5	100	65	29-15	96,000	100,000	-	1.7	700	1,543
				114.3	73.1	32-15			⊿			
18x8J	F1	45(28)	5	100	65	29-15	97,000	101,000	▼§	1.7	700	1,543
				114.3	73.1	32-15			Θη⊿〓			
18x8.5J	F2	45(21)	5	100	65	29-15	98,000	102,000	-	-	700	1,543
		42(24)		112	66.6	32-15			AUDI TT(8J)			
	F1	50(30)		114.3	73.1				▽Θη■⊿#▲〓	1.7		
	F2	42(24)							Θη■⊿〓	-		
		35(31)							▽Θη■⊿#△○★〓			

18x9J	F2	45(28)	5	114.3	73.1	32-15	99,000	103,000	▽Θη■◿#□▲●〓	-	700	1,543
	F3	35(25)										
	F2	50(23)		120	72.6				HONDA CIVIC TYPE R(FK8,FL5)			
18x9.5J	F3	43(23)	5	100	65	29-15	100,000	104,000	▼§	-	700	1,543
		45(21)		114.3	73.1	32-15			Θη■◿〓			
		38(28)							▽Θη■◿◎#△○★◆〓			
	F4	30(21)							η◿◎●◆〓			
		22(24)							▽Θη■◿◎#□▲●★◇〓			
	F3	45(21)		120	72.6				HONDA CIVIC TYPE R(FK8,FL5)			
	F4	20(26)							BMW M2 Coupe(F87)Fr,M4 Coupe(F82)Fr,M3(E92)			
18x10J	F4	35(23)	5	114.3	73.1	32-15	101,000	105,000	η■◿◎□●◆〓	-	700	1,543
		40(24)		120	72.6				HONDA CIVIC TYPE R(FK8,FL5)			
18x10.5J	F4	15(44)	5	114.3	73.1	32-15	102,000	106,000	▽Θη■◿◎#△○☆◇〓	-	700	1,543
		30(29)		120	72.6				BMW M2 Coupe(F87)Rr,M4 Coupe(F82)Rr,M3(E92)Rr.			
18x11J	F5	13(45)	5	114.3	73.1	32-15	103,000	107,000	▽Θη■◿◎#△○☆◇〓	-	700	1,543

19x8.5J	F1	45(32)	5	112	66.6	32-15	113,000	118,000	AUDI A3(8V),A4(8E,8K) ※except 3.2FSI, MINI CROSSOVER(F60),VW GOLF(Ⅶ)※includes R	1	815	1,797
	F2	38(23)							AUDI A3(8V),A4(8K)※except 3.2FSI, MINI CROSSOVER(F60)※except Cooper D, VW GOLF(Ⅶ)※includes R	-		
		22(33)							BMW 3er.(G20)Fr.			
	F1	42(35)		114.3	73.1				ηθ■◿◎〓	1		
	F2	38(23)							η◿〓	-		
		36(25)		120	72.6				BMW 3er(F30)Fr.			
	F1	50(28)		130	71.6	32-R14			PORSCHE 911 CARRERA S(997,991)Fr.	1		
19x9J	F1	35(32)	5	114.3	73.1	32-15	114,000	119,000	η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ◇◆〓	1	815	1,797
	F3	23(29)		120	72.6				BMW M2(Competition 2U30)Fr,M2 Coupe(F87)Fr,M235i(F22)Fr,M235i Racing(F22)Fr.	-		
	F2	46(28)		130	71.6	32-R14			PORSCHE 911 GT3 RS(997)Fr.			

19x9.5J	F2	38(36)	5	112	66.6	32-15	115,000	120,000	BMW 3er.(G20)Rr	-	815	1,797
	F3	25(22)							AUDI A5(8T), BMW 5er.(G30),Z4(G29)Fr. ,TOYOTA GR SUPRA(DB)Fr.			
		15(32)							BMW M2 Coupe(G87)Fr, M4 Competition CCB (G82)Fr.			
	F2	45(29)		114.3	73.1				ηθ■◿◎〓			
		35(39)							η▽▼θ■◿◎#△□▲αβγ○●Ω★◇◆〓			
	F3	22(25)							ηθ■◿◎□▲αβ●◇◆〓			
	F4	12(40)							η▽▼θ■◿◎#□▲αβ●★◇◆〓			
	F1	55(35)		120	72.6				HONDA CIVIC TYPE-R(FK8,FL5)	1		
	F2	45(29)							BMW 3er.(F30)Rr., HONDA CIVIC TYPE-R(FK8,FL5)	-		
		36(32)							HONDA CIVIC TYPE-R(FK8,FL5)			
19x10J	F4	15(31)	5	112	66.6	32-15	116,000	121,000	BMW M2 Coupe(G87)Fr, M4 Competition CCB(G82)Fr.	-	815	1,797
	F3	34(31)		120	72.6				BMW M2(Competition 2U30)Rr,M2 Coupe(F87)Rr,M235i(F22)Rr,M235i Racing(F22)Rr.			
		40(26)		130	71.6	32-R14			PORSCHE CAYMAN GT4(981DBX)Rr, BOXSTER(981)Rr.			
19x10.5J	F4	33(28)	5	112	66.6	32-15	117,000	122,000	BMW 5er.(G30)Rr,Z4(G29)Rr., TOYOTA GR SUPRA(DB)Rr.	-	815	1,797
		22(28)		114.3	73.1				η▽▼θ■◿◎#□▲αβ●★◇◆〓			
		15(38)							η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ◇◆〓			
	F3	47(24)		130	71.6	32-R14			PORSCHE CAYMAN GT4(981DBX)Rr, BOXSTER(981)Rr.			
19x11J	F4	35(21)	5	112	66.6	32-15	118,000	123,000	BMW Z4(G29)Rr., TOYOTA GR SUPRA(DB)Rr.	-	815	1,797
		22(34)		114.3	73.1				η▽▼θ■◿◎#△□▲αβγ○●Ω★◇◆〓			
		18(41)							η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ◇◆〓			

20x8.5J	F1	43(36)	5	108	73.1	32-15	134,000	144,000	VOLVO V60(FB420)	4.5	840	1,852
		36(43)		112	66.6				AUDI RS3(8VCZGF/8VDAZL/GYDNWF)			
	F2	25(44)							BMW 530i(G30)Fr.	1		
	F1	45(34)		114.3	73.1				η■◿◎〓	4.5		
		36(43)							▽▼θη■◿◎#△▲□αβγ○●Ω★◇◆〓			
		45(34)		120	72.6				TOYOTA ALPHARD(AGH40W)			
		38(41)										
		50(29)		130	71.6	32-R14			PORSCHE 911CarreraS(991)Fr,BOXSTER(981)Fr,Cayman GT4(981DBX)Fr.			

20x9J	F2	27(49)	5	112	66.6	32-15	136,000	146,000	AUDI S5(F5CWGL),S7(4GCEUL), Q5(FYDETS) BMW Z4 M40i(G29)Fr., BENZ AMG E43 4MATIC(W213),CLS450 4MATIC(C257)	1	840	1,852
	F3	20(36)							PORSCHE Macan S(95BCTM(A))Fr.	-		
	F2	37(39)		114.3	73.1				▽▼θη■⊿◎#▲□αβ●◇◆〓	1		
		44(32)		120	72.6				LANDROVER DEFENDER(LE72WAB)			
		38(38)							TESLA MODEL X(Fr)			
	F3	22(34)							BMW M2 Competition(F87)Fr,M4 Coupe(F82)Fr., LEXUS LC500h(GWZ100)Fr.	-		
	F1	55(31)		130	71.6	32-R14			PORSCHE Cayman GT4(981DBX)Fr.	4.5		
	F2	45(31)								1		
20x9.5J	F3	25(37)	5	112	66.6	32-15	138,000	148,000	BMW Z4 M40i(G29)Fr,330i(G20)Fr,M4 Competition(G82)Fr.	-	840	1,852
	F2	38(44)		114.3	73.1				▽▼θη■⊿◎#△▲□αβγ○●Ω★◇◆〓	1		
	F3	29(33)							η⊿◎●◇◆〓	-		
	F4	20(42)		120	72.6				BMW M2 Competition(F87)Fr,M4 Coupe(F82)Fr.			
20x10J	F4	15(43)	5	112	66.6	32-15	140,000	150,000	BMW M4 Competition(G82)Fr., PORSCHE Macan S(95BCTM(A))Rr.	-	840	1,852
		30(28)		114.3	73.1				η⊿◎●◇◆〓			
	F3	38(30)		120	72.6				TESLA MODEL X(Rr)			
		40(28)		130	71.6	32-R14			PORSCHE 718Cayman(982H1)Rr.,BOXSTER(981)Rr.			
20x10.5J	F4	32(33)	5	112	66.6	32-15	142,000	152,000	BMW Z4 M40i(G29)Rr.	-	840	1,852
	F5	15(33)							BMW M4 Competition(G82)Rr.			
	F4	22(33)		114.3	73.1				▽▼θη■⊿◎#△▲□αβγ○●Ω★◇◆〓			
		34(31)		120	72.6				BMW M2 Competition(F87)Rr,M4 Coupe(F82)Rr.			
		22(43)							LEXUS LC500h(GWZ100)Rr.			
20x11J	F5	15(39)	5	112	66.6	32-15	144,000	154,000	BMW M4 Competition(G82)Rr. , PORSCHE Macan S(95BCTM(A))Rr.	-	840	1,852
		28(26)		114.3	73.1				▽▼θη■⊿◎▲□αβ●★◇◆〓			
		10(44)							▽▼θη■⊿◎#△▲□αβγ○●Ω☆★Σ◇◆〓			
	F2	70(31)		130	71.6	32-R14			PORSCHE 911CarreraS(991)Rr.	1		
	F3	50(31)							PORSCHE Cayman GT4(981DBX)Rr.	-		

20x12J	F4	48(36)	5	114.3	73.1	32-15	148,000	158,000	θη■⊿◎▲□αβ●★◇◆〓	-	840	1,852
	F5	20(44)							▽▼θη■⊿◎#△▲□αβγ○●Ω☆★Σ◇◆〓			
	F3	58(36)		130	71.6	32-R14			PORSCHE 911CarreraS(991)Rr.			

Caution
※＊：Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.

[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ：GR 86/BRZ Brenbo (ZN8/ZD8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
⊿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.