



MID RACING R10 EVO

A 10-spoke that sharpens lightweight performance, refined by Japanese quality.

Spec

Product Name	MID RACING R10 EVO
Size	15inch/16inch/17inch/18inch
Construction Method	MAT process Made in JAPAN
Safety Standards	JWL VIA compliant
Color	White (WHI) Black Metallic (BLM)
Included	NO.4 MID Racing Center Cap Air Valve(Black) Sticker Set
Optional	NO.4 MID Racing Center Cap ¥3,000 Air valve(Black) ¥800 Sports Sticker for Crystal Black (Red): ¥2,200 Sports Sticker for Black Clear Polish (Luminous Yellow): ¥2,500



Black Metallic (BLM) 17x7.5J
※Sticker applied



Black Metallic (BLM) 17x7.5J



White (WHI) 17x7.5J
※Sticker applied

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE		CALIPER CLEARANCE	Load (kg)	Load (lbs)
						BLM COLOR	WHI COLOR			
15x5J	45(43)	4	100	67.1	30-15	38,000	38,000	-	500	1,102
16x6.5J	45(43)	4	100	67.1	30-15	41,000	41,000	-	530	1,168
16x7J	35(43)	4	100	67.1	30-15	42,000	42,000	ψ	530	1,168
17x7J	45(43)	4	100	67.1	30-15	46,000	46,000	-	530	1,168
		5	114.3	73.1					690	1,521
17x7.5J	45(43)	4	100	67.1	30-15	47,000	47,000	ψ	530	1,168
	44(43)	5		67.1					-	540
	48(43)		114.3	73.1				690	1,521	
17x8J	47(43)	5	100	67.1	30-15	48,000	48,000	▼▽\$	540	1,190
18x7.5J	45(43)	5	114.3	73.1	30-15	53,000	53,000	-	690	1,521
18x8.5J	45(43)	5	100	67.1	30-15	55,000	55,000	▼▽\$	540	1,190
	38(43)		114.3	73.1					0 ■ ▲ =	690
	45(43)									

Caution

*This product is currently under development; specifications and listed information may be subject to change.

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

§ : GR 86/BRZ Brenbo (ZN8/ZD8)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.