

MAG Blue (BL) 18x9.5J+22



MAG Blue (BL) 15inch



MAG Blue (BL) 18x8.5J +46

VOLK RACING ORIGINAL TE37 SAGA S-plus 30th ANNIVERSARY

What's engraved is not 30 years, but the will to evolve. TE37 30th Anniversary Model

Spec

Product Name	TE37 SAGA S-plus 30TH MAG Blue STICKER Ver.
Size	15inch/17inch/18inch/19inch/20inch
Construction Method	Forged 1pc Wheel 17inch Reverse Rim Knurling finish
Safety Standards	JWL+R Spec 2
Color	MAG Blue (BL)
Included	Spoke Stickers: 18 inch and below: No.16 19 inch and above: No.18 30th Anniversary Exclusive Sticker No.54 EUROPEAN ALUMINUM VALVE RAYS BL、 No.16 REPAIR STICKER TE37 2PC BL、 No.42 REPAIR STICKER TE37 2PC L BL

Optional Parts

No.53 VR CAP MODEL-01 LOW BR、 No.56 VR CAP MODEL-01 HI BR、 No.93 VR CAP MODEL-37 BR、 No.113 VR CAP MODEL-01 LOW WH、 No.114 VR CAP MODEL-01 HI WH、 No.98 VR CAP MODEL-37 WH、 MODEL-01 LOW OPTIONAL COLOR CENTER CAPS、 MODEL-01 HI OPTIONAL COLOR CENTER CAPS

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE BL COLOR	CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
15x7J	F1	35(43)	4	100	65	29-13	64,000	-	3.73	620	1,367
	F2	25(43)							0.47		
15x8J	F3	35(34)	4	100	65	29-13	67,000	-	-	620	1,367
		25(43)									
		35(34)	5	114.3	73.1	32-13				690	1,521
17x7J	F1	45(24)	4	100	65	29-15	87,000	-	3.44	530	1,168
17x7.5J	F1	38(31)	4	100	65	29-15	88,000	▽▼Θ#▲	3.44	530	1,168
		44(32)	5					Θ		700	1,543
		48(28)		114.3	73.1	32-15		-			
		44(32)						Θ			
17x8J	F2	38(27)	5	114.3	73.1	32-15	89,000	▽▼Θ#▲	-	700	1,543
17x8.5J	F2	40(31)	4	100	65	29-15	90,000	▽▼Θ#▲	-	530	1,168
		45(26)	5							700	1,543
17x9J	F4	22(31)	5	114.3	73.1	32-15	91,000	▽▼Θ#▲γΩ	-	700	1,543
18x7.5J	F1	48(26)	5	100	65	29-15	96,000	-	1.7	700	1,543
				114.3	73.1	32-15		⊿			
18x8J	F1	45(28)	5	100	65	29-15	97,000	▼§	1.7	700	1,543
				114.3	73.1	32-15		Θη⊿〓			

18x8.5J	F2	45(21)	5	100	65	29-15	98,000	-	-	700	1,543
		42(24)		112	66.6	32-15		AUDI TT (8J), VW GOLF (V*/VI*/VII*/VIII*) incl. R32/R			
	F1	50(30)		114.3	73.1			▽Θη■◿#▲〓	1.7		
	F2	42(24)						Θη■◿〓	-		
		35(31)						▽Θη■◿#△○★〓			
18x9J	F2	45(28)	5	114.3	73.1	32-15	99,000	▽Θη■◿#□▲●〓	-	700	1,543
	F3	35(31)									
	F2	50(23)		120	72.6			HONDA CIVIC TYPE R(FK8, FL5*)			
18x9.5J	F3	43(23)	5	100	65	29-15	100,000	▼§	-	700	1,543
		45(21)		120	72.6	32-15		Θη■◿〓			
		38(28)		114.3	73.1			▽Θη■◿◎#△○★◆〓			
	F4	30(21)						η◿◎●◆〓			
		22(24)						▽Θη■◿◎#□▲●★◇〓			
	F3	45(21)						HONDA CIVIC TYPE R(FK8*, FL5*)			
	F4	20(26)		120	72.6			BMW M2 Coupe(F87)Fr,M4 Coupe(F82)Fr,M3(E92)			
18x10J	F4	35(23)	5	114.3	73.1	32-15	101,000	η■◿◎□●◆〓	-	700	1,543
		40(24)		120	72.6			-			
18x10.5J	F4	15(44)	5	114.3	73.1	32-15	102,000	▽Θη■◿◎#△○☆◇〓	-	700	1,543
		30(29)		120	72.6			BMW M2 Coupe(F87)Rr,M4 Coupe(F82)Rr,M3(E92)Rr.			
18x11J	F5	13(45)	5	114.3	73.1	32-15	103,000	▽Θη■◿◎#△○☆◇〓	-	700	1,543

19x8.5J	F1	45(32)	5	112	66.6	32-15	113,000	AUDI A3 (8V), A4 (8E/8K) excl. 3.2 FSI quattro, MINI COUNTRYMAN (F60), VW GOLF (VII) incl. R	1.02	815	1,797
	F2	38(23)						AUDI A3 (8V), A4 (8K) excl. 3.2 FSI quattro, MINI COUNTRYMAN (F60) excl. COOPER D, VW GOLF (VII/VIII) incl. R	-		
		22(33)						BMW 3er.(G20)Fr			
	F1	42(35)		114.3	73.1			ηθ■⊿◎〓	1.02		
	F2	38(23)						η⊿〓	-		
		36(25)		120	72.6			BMW:3er(F30) Fr			
	F1	50(28)		130	71.6	32-R14		PORSCHE 911 Carrera S(997)Fr	1.02		
19x9J	F1	35(32)	5	114.3	73.1	32-15	114,000	η▽▼θ■⊿◎#△□▲αβγ○●Ω☆★Σ◇◆〓	-	815	1,797
	F3	23(29)		120	72.6			BMW M2 (F87, incl. Competition) Front			
	F2	46(28)		130	71.6	32-R14		PORSCHE 911 GT3 RS (997 Pre-Facelift) Front			
19x9.5J	F2	38(36)	5	112	66.6	32-15	115,000	BMW 3er.(G20)Rr	-	815	1,797
	F3	25(22)						AUDI A5(8T)BMW 5er.(G30), Z4(G29)FrTOYOTA GR SUPRA(DB)Fr			
		15(32)						BMW M2 Coup? (G87) Front, M4 Competition (G82) Front / M4 Competition (G82) with Carbon-Ceramic Brakes Front			
	F2	45(29)		114.3	73.1			ηθ■⊿◎〓			
		35(39)						η▽▼θ■⊿◎#△□▲αβγ○●Ω★◇◆〓			
	F3	22(25)						ηθ■⊿◎□▲αβ●◇◆〓			
	F4	12(40)						η▽▼θ■⊿◎#□▲αβ●★◇◆〓			
	F1	55(35)		120	72.6			HONDA CIVIC TYPE-R(FK8,FL5)			
	F2	36(32)						HONDA:CIVIC(FL5/FK8)			
		45(29)						BMW 3er.(F30)Rr, HONDA CIVIC TYPE-R(FK8,FL5)			
19x10J	F4	15(31)	5	112	66.6	32-15	116,000	-	-	815	1,797
	F3	34(31)		120	72.6			BMW M2(F87/Competition)Rr			
		35(18)		114.3	73.1			η⊿◎〓			
		40(26)		130	71.6	32-R14		PORSCHE CAYMAN 981 GT4 Rr,BOXSTER(981)Rr			

19x10.5J	F4	33(28)	5	112	66.6	32-15	117,000	BMW 5er.(G30)Rr, Z4(G29)Rr, TOYOTA GR SUPRA(DB)Rr	-	815	1,797
		22(28)		114.3	73.1			η▽▼θ■◿◎#□▲αβ●★◇◆〓			
		15(38)						η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ◇◆〓			
	F3	47(24)		130	71.6	32-R14		PORSCHE CAYMAN 981 GT4 Rr,BOXSTER(981)Rr			
19x11J	F4	35(21)	5	112	66.6	32-15	118,000	-	-	815	1,797
		22(34)		114.3	73.1			η▽▼θ■◿◎#△□▲αβγ○●Ω★??〓			
		18(41)						η▽▼θ■◿◎#△□▲αβγ○●Ω☆★Σ??〓			
20x8.5J	F1	43(36)	5	108	73.1	32-15	134,000	VOLVO V60(FB420)	-	840	1,852
		36(43)		112	66.6			AUDI RS3(8VCZGF/8VDAZL/GYDNWF)			
	F2	25(44)						BMW 530i(G30)Fr.			
	F1	45(34)		114.3	73.1			η■◿◎〓			
		36(43)						▽▼θη■◿◎#△▲□αβγ○●Ω★◇◆〓			
		45(34)		120	72.6			TOYOTA ALPHARD(AGH40W)			
		38(41)									
		50(29)		130	71.6	32-R14		PORSCHE 911CarreraS(991)Fr.,BOXSTER(981)Fr.,Cayman GT4(981DBX)Fr.			
20x9J	F2	27(49)	5	112	66.6	32-15	136,000	AUDI S5(F5CWGL),S7(4GCEUL),Q5(FYDETS),BMW Z4 M40i(G29)Fr.,BENZ AMG E43 4MATIC(W213),CLS450 4MATIC(C257)	-	840	1,852
	F3	20(36)						PORSCHE Macan S(95BCTM(A))Fr.			
	F2	37(39)		114.3	73.1			▽▼θη■◿◎#▲□αβ●◇◆〓			
		44(32)		120	72.6			LANDROVER DEFENDER(LE72WAB)			
		38(38)						TESLA MODEL X(Fr)			
	F3	22(34)						BMW M2 Competition(F87)Fr.,M4 Coupe(F82)Fr.,LEXUS LC500h(GWZ100)Fr.			
	F1	55(31)		130	71.6	32-R14		PORSCHE Cayman GT4(981DBX)Fr.			
	F2	45(31)									

20x9.5J	F3	25(37)	5	112	66.6	32-15	138,000	BMW Z4 M40i(G29)Fr.,330i(G20)Fr.,M4 Competition(G82)Fr.	-	840	1,852
	F2	38(44)		114.3	73.1			▽▼θη■◿◎#△▲□αβγ○●Ω★◇◆〓			
	F3	29(33)						η◿◎●◇◆〓			
	F4	20(42)		120	72.6			BMW M2 Competition(F87)Fr.,M4 Coupe(F82)Fr.			
20x10J	F4	15(43)	5	112	66.6	32-15	140,000	-	-	840	1,852
		30(28)		114.3	73.1			η◿◎●◇◆〓			
	F3	38(30)		120	72.6			TESLA MODEL X(Rr)			
		40(28)		130	71.6	32-R14		PORSCHE 718Cayman(982H1)Rr.,BOXSTER(981)Rr.			
20x10.5J	F4	32(33)	5	112	66.6	32-15	142,000	BMW Z4 M40i(G29)Rr.	-	840	1,852
	F5	15(33)						BMW M4 Competition(G82)Rr.			
	F4	22(33)		114.3	73.1			▽▼θη■◿◎#△▲□αβγ○●Ω★◇◆〓			
		34(31)		120	72.6			BMW M2 Competition(F87)Rr.,M4 Coupe(F82)Rr.			
		22(43)						LEXUS LC500h(GWZ100)Rr.			
20x11J	F5	15(39)	5	112	66.6	32-15	144,000	-	-	840	1,852
		28(26)		114.3	73.1			▽▼θη■◿◎▲□αβ●★◇◆〓			
		10(44)						▽▼θη■◿◎#△▲□αβγ○●Ω☆★Σ◇◆〓			
	F2	70(31)		130	71.6	32-R14		PORSCHE 911CarreraS(991)Rr.			
	F3	50(31)						PORSCHE Cayman GT4(981DBX)Rr.			
20x12J	F4	48(36)	5	114.3	73.1	32-15	148,000	θη■◿◎▲□αβ●★◇◆〓	-	840	1,852
	F5	20(44)						▽▼θη■◿◎#△▲□αβγ○●Ω☆★Σ◇◆〓			
	F3	58(36)		130	71.6	32-R14		PORSCHE 911CarreraS(991)Rr			

Caution
※Hub Clearance listed with VR Center Cap Model-01 Low installed. High-type Center Caps add an extra 11mm clearance.
※＊：Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.

[CALIPER CLEARANCE]
▼：IMPREZA (GDB 4POT)、86/BRZ Brembo(ZN6、ZC6)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ：GR86/BRZ Brembo(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.