



57FXZ

A new generation flagship model 57FXZ bearing the ultimate “Z”.

Spec

Product Name	57FXZ
Size	18inch/19inch/20inch
Construction Method	RCF Cast 1pc. Wheel(Knurling finish)
Safety Standards	JWL+R Spec 1
Color	Super Dark Gunmetal/Machining/Rim Edge DC (AAC) RBC/Machining (SNJ)
Included	No.14 GL CAP BK/BK、 No.21 INSIDE ALUMINUM AIR VALVE BK



Super Dark Gunmetal/Machining/Rim Edge DC (AAC)



RBC/Machining (SNJ)

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE		CALIPER CLEARANCE	DISK PROTRUSIO N (mm)
							AAC COLOR	SNJ COLOR		
18x7.5J	F1	50(34)	5	100	65	29-15	66,000	69,000	-	3
		40(44)		114.3	73.1				▽=	
18x8J	F1	45(45)	5	100	65	29-15	67,000	70,000	▼	3
		45		112	66.6				AUDI A4(8K), A3(8V), BENZ GLA CLASS(X156), A CLASS (W176, W177), C CLASS (W205), E CLASS (W213), BMW X1(F48), VW GOLF (V*/VI*/VII*/VIII*) ※include R32/R	
		45(45)		114.3	73.1				▽θη■▲#▲γΩ=	
18x8.5J	F1	45(52)	5	114.3	73.1	29-15	68,000	71,000	▽θη■▲#△○=	3
19x8J	F1	45(45)	5	114.3	73.1	29-15	76,000	79,000	η▲γ=	5
19x8.5J	F1	45(51)	5	114.3	73.1	29-15	-	80,000	▽θη■▲#▲γ=	5
		38(58)							▽θη■▲#△○☆◆=	
		36		120	72.6		77,000	BMW 3er.(F30), HONDA CIVIC TYPE R(FK2*, FK8*, FL5*), TOYOTA ALPHARD(40)*	-	
20x8.5J	F1	38(50)	5	114.3	73.1	29-15	88,000	91,000	▽θη■▲#△○★◆=	3.5

Caution

Hub clearance listed is with the standard type center cap installed.

5H-P.C.D.112/120: Cannot fit Mercedes Benz (GL Class, GLS Class, R550 4 Matic, R350 4 Matic 2012-, ML63 4 Matic, S550 Plug-in Hybrid, V class (W447), GLE63S 4 Matic, GLE class (V167), EQC400), Rolls Royce, Bentley, Maybach (57, 62, GLS600), BMW X5 (7 seater), X5 (F15), X5 (PHV), X6 Active Hybrid, X7, iX, iX3, Alpina XB7, Audi e-tron, Land Rover, Tesla (Model X), Century (GRG75).

* : Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

△ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

≡ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.