



Black Graphite (B2)



Dark Bronze (Z2)

gram LIGHTS
57XR-X
LIGHT WEIGHT CONCEPT

The Third R model also for SUVs.

Spec

Product Name	57XR-X
Size	16inch/17inch
Construction Method	Cast 1pc. Wheel *Knurling Finish
Safety Standards	JWL+R Spec 1(5H models) JWL&JWL-T +R Spec 1 (6H models)
Color	Dark Bronze (Z2) Black Graphite (B2)
Included	5H model: Center Cap No.15 GL CAP BK/RD、 No.21 INSIDE ALUMINUM AIR VALVE BK、 No.64 GL CAP BR/RD
Optional	6H model: Center Cap

Optional Parts

No.84 RAYS LPS CAP 6-139.7 BR/RD、 No.85 RAYS LPS CAP 6-139.7 BK/RD、 No.86 RAYS LPS CAP 6-139.7 Chrome/BL、 No.89 RAYS LPS CAP 6-139.7 BK/BK

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	CENTER	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE		CALIPER CLEARANCE	DISK PROTRUSIO N (mm)	Load
							Z2 COLOR	B2 COLOR			
16x6J	-	5	5	139.7	108.8	29-15	43,000	43,000	-	-	1,367
16x6.5J	-	38	6	139.7	112	29-15	44,000	44,000	-	2	2,105
17x7J	-	40(47)	5	100	65	29-15	49,000	-	-	3.6	1,521
		45(42)		114.3	114.3		-	49,000			
		38(49)					▽θ#				
17x8J	D1	20	6	139.7	112	29-15	49,000	49,000	-	2.7	2,105
	D2	0									

Caution

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.