VOLK RACING ORIGINAL ZE40 M-SPEC

The built-in shape is the true functional beauty



Diamond Dark Gunmetal (MM)



Diamond Dark Gunmetal (MM) 15x8J



Bronze (Almite) (BR)

The photo is a representative image. Please visit our website for other types of product images

Spec

Product Name	ZE40 M-Spec
Size	15inch/18inch/19inch
Construction Method	Forged 1pc. Wheel (19inch Reverse Rim) ※Knurling finish (except 15inch)
Safety Standards	JWL+R Spec 2
Color	Diamond Dark Gunmetal (MM) Bronze (Almite) (BR) ※Bronze color (Almite) may have uncolored areas besides the design surface. Thank you for your understanding.
Optional Color	OP-2: Extra ￥3,000 from MM color. HL color, IG color, MR color: Extra ￥4,000 SZ color, SI color, HM color: Extra ￥7,000 Dash White(DW)、 Matte Black(MB)、 Red(RE)、 Diamond Black(DB)、 MAG Blue(BL)、 Black(BK)、 Matte Gunbronze(MZ)、 Matte Blue Gunmetal(GB)、 Gunmetal(GM)、 Gold(GO)、 Diamond Silver(DS)、 Dark Gunmetal(DG)、 Hyper Blue(HL)、 Racing Green(IG)、 Metallic Red(MR)、 Shining Light Metal(SI)、 Shining Black Metal(HM)、 Shining Bronze Metal(SZ)
Included	Optional Color orders will include the MODEL-01 LOW SG color center cap by default. No.51 VR CAP MODEL-01 LOW MM、 No.53 VR CAP MODEL-01 LOW BR、 No.49 EUROPEAN ALUMINUM VALVE RAYS BK、 VR Center Cap Model-01 LOW SG
Optional	Center Cap, Vehicle Specific Parts Set

Optional Parts

No.51 VR CAP MODEL-01 LOW MM、 No.53 VR CAP MODEL-01 LOW BR、 No.54 VR CAP MODEL-01 HI MM、 No.56 VR CAP MODEL-01 HI BR、 Vehicle Specific Parts Set、 MODEL-01 LOW OPTIONAL COLOR CENTER CAPS、 MODEL-01 HI OPTIONAL COLOR CENTER CAPS、 VR Center Cap Model-01 LOW SG、 VR Center Cap Model-01 HI SG

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE		CALIPER CLEARANCE	DISK PROTRUSION (mm)	Load (kg)	Load (lbs)
							MM COLOR	BR COLOR				
15x6J	F1	42(23)	4	100	65	29-15	69,500	74,500	-	4.1	500	1,102
15x7J	F2	42(21)	4	100	65	29-15	72,500	77,500	MAZDA ROADSTER(ND)※except Brembo,NR-A,RS	-	500	1,102
		35(28)										
	F3	24(25)										
15x8J	F3	35(25)	4	100	65	29-15	75,500	80,500	HONDA CIVIC (EG6/EK4) SPOON	-	500	1,102
		25(35)							MAZDA ROADSTER(ND)※except Brembo,NR-A,RS			
		20(40)										
18x8.5J	F1	43	5	112	73.1	29-15	110,500	114,500	AUDI TT(8J),BENZ AMG C63(W204) ※except Black Series,VW GOLF(V*/VI*/VII*/VIII*) ※includes R32/R	-	700	1,543
		34(31)		114.3					▽Θη■◿#△α○★〓			
18x9.5J	F2	35(32)	5	114.3	73.1	29-15	112,500	116,500	▽Θη■◿◎#△α○★◆〓	-	700	1,543
									▽Θη■◿◎#△α○★◆〓			
	F3	21(24)							▽Θη■◿◎#△α○★◇〓			
	F2	39		120	72.6				HONDA CIVIC(FL5/FK8)*			
18x10J	F3	34(32)	5	114.3	73.1	29-15	113,500	117,500	▽Θη◿◎□α●◆〓	-	700	1,543
18x10.5J	F3	14(44)	5	114.3	73.1	29-15	114,500	118,500	▽Θη■◿◎#△α○☆◇〓	-	700	1,543
18x12J	F4	19(45)	5	114.3	73.1	29-15	117,500	121,500	▽Θη■◿◎#△α○☆◇〓	-	700	1,543
19x8.5J	F1	38	5	112	73.1	29-15	121,500	126,500	AUDI A4(8K)*, RS3(8V)*, VW GOLF (V*/VI*/VII*/VIII*)※includes R32/R, SCIROCCO(13C)	-	700	1,543
		38(34)		114.3					▽Θη■◿◎#△α○★◇〓			

Caution
※ Hub clearance listed with LOW-type Center Cap installed. Hi-type Center Cap adds an extra 11㎜ of clearance.
※ * ：Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.

[CALIPER CLEARANCE]
▼：IMPREZA (GDB 4POT)、86/BRZ Brembo(ZN6、ZC6)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ：GR86/BRZ Brembo(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34)
●： FAIRLADY Z (Z34)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.