

Semigloss Black（SB）
19inch



Semigloss Black（SB）
18inch

Gram Lights 57DR
LIGHT WEIGHT CONCEPT

A special model for the overseas market

Spec

Product Name	57DR
Size	15inch/17inch/18inch/19inch
Construction Method	Cast 1pc. Wheel
Safety Standards	JWL+R Spec 1
Color	Semigloss Black（SB）
Included	Spoke Sticker(Red/Included) No.21 INSIDE ALUMINUM AIR VALVE BK、 No.29 SNAP IN AIR VALVE (TR-412FC)、 No.14 GL CAP BK/BK
Optional	Center Cap, Vehicle Specific Parts Set

Optional Parts

No.64 GL CAP BR/RD、 No.65 GL CAP BK-Chrome/RD、 No.14 GL CAP BK/BK、 No.15 GL CAP BK/RD、 No.16 GL CAP BK-Chrome/BL、 No.17 GL CAP Chrome/BL、 No.63 GL CAP SL/RD、 No.67 GL WR CAP、 No.8 GRAM LIGHTS Spoke Sticker、 Vehicle Specific Parts Set、 No.10 GL RIM STICKER 2S YELLOW/BLACK

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	CENTER	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE SB COLOR	CALIPER CLEARANCE	Load (kg)	Load (lbs)
15x8J	-	D2	35(20)	4	100	65	29-15	46,500	-	500	1,102
		D3	28(22)								
17x9J	-	-	22(40)	5	114.3	73.1	29-15	53,500	▽Θη＃□ΩΣ	690	1,521
			12(50)						▽Θη＃□ΩΣ〓		
18x8.5J	F 1	-	37(30)	5	114.3	73.1	29-15	59,500	▽Θη＃□ΩΣ	700	1,543
18x9.5J	F 2	-	38(24)	5	100	65	29-15	61,500	▼	690	1,521
					114.3	73.1			▽Θη⊿＃α●〓		
			22(40)						▽Θη⊿＃△○☆◆〓		
			12(50)								
18x10.5J	F 3	-	22(31)	5	114.3	73.1	29-15	63,500	▽Θη⊿＃△○☆〓	690	1,521
			12(41)								
19x8.5J	F 1	D 1	45(28)	5	114.3	73.1	29-15	73,500	Θη■⊿◎〓	700	1,543
		D 2	35(28)						▽Θη■⊿◎#△○★◇〓		
19x9.5J	F 2	D 2	25	5	112	73.1	29-15	75,500	AUDI A5(8T)Fr *, BMW Z4(G29)Fr, M4(G82)Fr,TOYOTA GR SUPRA(DB)Fr	700	1,543
			35(28)		114.3				▽Θη■⊿◎#△○★◇〓		
			25(38)						▽Θη■⊿◎#△○☆◇〓		
		D 1	45		120	75			HONDA CIVIC TYPE R(FL5/FK8/FK2)*		
		D 2	25						BMW M4(F82)Fr*, M3(E92) Fr*		

19x10.5J	F 3	D 1	35	5	112	73.1	29-15	77,500	BMW 5er.(G30) Rr*, Z4(G29)Rr*,TOYOTA GR SUPRA(DB)Rr*	700	1,543
		D 2	22						AUDI A5(8T)Rr *, BMW M4(G82)Rr		
		D 1	35(26)		114.3				▽Θη⊿◎αγ●★◇〓		
		D 2	22(30)						▽Θη■⊿◎#△〇★◇〓		
			12(40)						▽Θη■⊿◎#△〇☆◇〓		
		D 1	35		120	75			BMW M4(F82)Rr*, M3(E92)Rr		
		D 2	22						BMW M4(F82)Rr*		

Caution
※Hub clearance is the measurement to the center cap attachment.
※Depending on production volumes, acceptance and lead times may vary in some sizes.
※＊：Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.

[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ： GR86/BRZ(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.