



A special model for the overseas market

Spec

Product Name	57DR
Size	15inch/17inch/18inch/19inch
Construction Method	Cast 1pc. Wheel
Safety Standards	JWL+R Spec 1
Color	Semigloss Black (SB)
Included	Spoke Sticker(Red/Included)
Optional	Center Cap, Vehicle Specific Parts Set

Optional Parts

No.64 GL CAP BR/RD、 No.65 GL CAP BK-Chrome/RD、 No.14 GL CAP BK/BK、 No.15 GL CAP BK/RD、 No.16 GL CAP BK-Chrome/BL、 No.17 GL CAP Chrome/BL、 No.63 GL CAP SL/RD、 No.67 GL WR CAP、 No.8 GRAM LIGHTS Spoke Sticker、 Vehicle Specific Parts Set、 No.10 GL RIM STICKER 2S YELLOW/BLACK



Semigloss Black (SB)
19inch



Semigloss Black (SB)
18inch

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	CENTER	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE	CALIPER CLEARANCE	Load
								SB COLOR		
15x8J	-	D2	35(20)	4	100	65	29-15	39,000	-	1,102
		D3	28(22)							
17x9J	-	-	22(40)	5	114.3	73.1	29-15	47,000	▽θη#□ΩΣ	1,521
			12(50)						▽θη#□ΩΣ■	
18x8.5J	F 1	-	37(30)	5	114.3	73.1	29-15	53,000	▽θη#□ΩΣ	1,543
18x9.5J	F 2	-	38(24)	5	100	65	29-15	55,000	▼	1,521
			22(40)		114.3	73.1			▽θηΔ#α●■	
			12(50)						▽θηΔ#△○☆◆■	
18x10.5J	F 3	-	22(31)	5	114.3	73.1	29-15	57,000	▽θηΔ#△○☆■	1,521
			12(41)							
19x8.5J	F 1	D 1	45(28)	5	114.3	73.1	29-15	61,000	θη■Δ◎■	1,543
		D 2	35(28)						▽θη■Δ◎#△○★◇■	
19x9.5J	F 2	D 2	25	5	112	73.1	29-15	63,000	AUDI A5(8T)Fr *, BMW Z4(G29)Fr, M4(G82)Fr,TOYOTA GR SUPRA(DB)Fr	1,543
			35(28)		114.3				▽θη■Δ◎#△○★◇■	
			25(38)						▽θη■Δ◎#△○☆◇■	
		D 1	45	120	75	HONDA CIVIC TYPE R(FL5/FK8/FK2)*				
		D 2	25			BMW M4(F82)Fr*, M3(E92) Fr*				

19x10.5J	F 3	D 1	35	5	112	73.1	29-15	65,000	BMW 5er.(G30) Rr*, Z4(G29)Rr*, TOYOTA GR SUPRA(DB)Rr*	1,543	
		D 2	22						AUDI A5(8T)Rr *, BMW M4(G82)Rr		
		D 1	35(26)		114.3				▽Θη∠◎αγ●★◇≡		
		D 2	22(30)						▽Θη■∠◎#△○★◇≡		
			12(40)		▽Θη■∠◎#△○☆◇≡						
		D 1	35		120				75		BMW M4(F82)Rr*, M3(E92)Rr
		D 2	22								BMW M4(F82)Rr*

Caution

※Hub clearance is the measurement to the center cap attachment.

※Depending on production volumes, acceptance and lead times may vary in some sizes.

※19×9 1/2J 5-112, 5-120 inset 45 and 10 1/2J scheduled to be discontinued once inventory clears.

• 5H-P.C.D.112/120: Cannot fit Mercedes Benz (GL Class, GLS Class, R350 4 Matic 2012-, R550 4 Matic, ML63 4Matic, S550 Plug-in Hybrid, V class [W447], GLE63S 4Matic, EQC400), Bentley, Maybach (57, 62), BMW (X5 7seater, X5 PHV, X5 [F15], X6 Active Hybrid, X7), Land Rover (only for 5H-120), Rolls-Royce, Tesla (Model X).

※ * : Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.