

Admiral Blue（2ZZ)

57DR Limited Edition "Admiral Blue" Debut.

Spec

Product Name	57DR Admiral Blue
Size	15inch/17inch/18inch/19inch
Construction Method	Cast 1pc. Wheel
Safety Standards	JWL+R Spec 1
Color	Admiral Blue（2ZZ)
Included	No.21 INSIDE ALUMINUM AIR VALVE BK
Optional	Center Cap, Vehicle Specific Parts Set

Optional Parts

No.14 GL CAP BK/BK、 No.17 GL CAP Chrome/BL、 No.15 GL CAP BK/RD、 No.16 GL CAP BK-Chrome/BL、 No.63 GL CAP SL/RD、 No.64 GL CAP BR/RD、 No.65 GL CAP BK-Chrome/RD、 No.67 GL WR CAP、 No.8 GRAM LIGHTS Spoke Sticker、 Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	CENTER	INSET ( ): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (ϕ)	DRILL (ϕ)	PRICE 2ZZ COLOR	CALIPER CLEARANCE
15x8J	-	-	35(24)	4	100	65	29-15	46,000	-
17x9J	-	-	22(40) 12(50)	5	114.3	73.1	29-15	56,000	Θη■＃▲γΩΣ〓
18x9.5J	F2	-	38(24)	5	100	65	29-15	65,000	▼
			12(50)		114.3	73.1			▽Θη■◿＃△〇☆◆〓
18x10.5J	F3	-	22(31) 12(41)	5	114.3	73.1	29-15	67,000	▽Θη■◿＃△〇☆〓
19x9.5J	F2	D2	25(38)	5	114.3	73.1	29-15	75,000	▽Θη■◿◎＃〇△☆◇〓
19x10.5J	F3	D2	22(32) 12(40)	5	114.3	73.1	29-15	77,000	▽Θη■◿◎＃〇△☆◇〓

Caution

[CALIPER CLEARANCE]
▼： IMPREZA (GDB 4POT)
▽： IMPREZA (GDB & GRB 4POT)
Θ： WRX STI (4POT)
η： WRX STI (6POT)
§ ： GR86/BRZ(ZN8/ZC8)
■： IS, GS, RC, CROWN (210), MARK-X (3.5L)
◿： IS-F
◎： RC-F
＃： SILVIA (S15)
△： SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)
▲： SKYLINE (R34 GT-R)
□： SKYLINE (CKV36, HV37, RV37/400R)
α： SKYLINE (CKV36, HV37), FUGA(Y51)
β： SKYLINE (HV37)
γ： SKYLINE (CPV35)
○： FAIRLADY Z (Z33, Z34, RZ34 ※except NISMO)
●： FAIRLADY Z (Z34, RZ34 ※except NISMO)
Ω： FAIRLADY Z (Z33)
☆： LANCER EVO.(VII～IX, X)
★： LANCER EVO.X
Σ： LANCER EVO.(VII～IX)
◆： GT-R (R35/ϕ380 rotor)
◇： GT-R (R35/ϕ380, ϕ390 rotor)
〓： GR YARIS (RZ)
Ψ： ROADSTER (ND)/124 Spider Brembo
※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.