



RAYS 07X

The first model of the new RAYS

Spec

Product Name	RAYS 07X
Size	16inch/17inch/18inch
Construction Method	Forged 1pc. Wheel 18inch Reverse Rim
Safety Standards	5H model: JWL+R spec 2 6H model: JWL&JWL-T standards
Color	Arms Gray (AG) Black/Rim DC (BD) Bronze (Almite) (BR) ※Bronze color (Almite) may have uncolored areas besides the design surface. Thank you for your understanding.
Optional Color	OP-2: Extra ¥ 3,000 from BD color. HL color, IG color: Extra ¥ 4,000 SZ color, SI color, HM color: Extra ¥ 7,000 ※Optional colors for the disk face only. Matte Gunbronze(MZ)、Black(BK)、MAG Blue(BL)、Diamond Black(DB)、Dark Gunmetal(DG)、Diamond Silver(DS)、Dash White(DW)、Matte Blue Gunmetal(GB)、Gunmetal(GM)、Gold(GO)、Hyper Blue(HL)、Racing Green(IG)、Matte Black(MB)、Red(RE)、Shining Bronze Metal(SZ)、Shining Light Metal(SI)、Shining Black Metal(HM)
Included	Sticker (for AG color only), Center Cap (5H-114.3 only)
Optional	Center Cap



Arms Gray (AG) 18X9J 6H-139.7 FACE-2 L Rim



Black/Rim DC(BD) 18X9J 6H-139.7 FACE-0 L Rim

Bronze (Almite) (BR) 18X9J 6H-139.7 FACE-2 LL Rim

The photo is a representative image. Please visit our website for other types of product images

Optional Parts

No.80 VR CAP MODEL-05 6-139.7 Chrome、 No.81 VR CAP MODEL-05 6-139.7 BK-Chrome、 No.84 RAYS LPS CAP 6-139.7 BR/RD、 No.85 RAYS LPS CAP 6-139.7 BK/RD、 No.86 RAYS LPS CAP 6-139.7 Chrome/BL、 No.89 RAYS LPS CAP 6-139.7 BK/BK

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	RIM	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE			Load
								BD COLOR	AG COLOR	BR COLOR	
16x6J	F 3	S	-5	5	139.7	108.8	29-15	60,000	60,000	62,000	1,367
16x7J	F 2	S	32(32)	5	114.3	73.1	29-13	-	-	66,000	1,521
17x6.5J	F1	S	38	6	139.7	112	29-15	77,000	77,000	79,000	2,600
17x7J	F1	S	38	5	114.3	73.1	29-15	80,000	80,000	82,000	1,543
17x8J	F2	S	46	6	139.7	112	29-15	80,000	80,000	82,000	2,105
			35	5	114.3	73.1		82,000	82,000	84,000	1,543
	L	20	6	139.7	112	80,000		80,000	82,000	2,600	
	F3	LL									0
17x8.5J	F2	LL	10	6	139.7	112	29-15	81,000	81,000	83,000	2,600
	F3		0								
			-10								
18x7J	F 1	S	8	5	139.7	108.8	29-15	81,000	-	83,000	1,367
	F 2		-2								
18x8J	F 0	S	38	6	139.7	112	29-15	-	83,000	85,000	2,105
			20					83,000	-	-	

18x8.5J	F 1	S	19	6	139.7	112	29-15	84,000	-	86,000	2,105
18x9J	F 2	L	0	6	139.7	112	29-15	85,000	85,000	87,000	2,105
		LL	-20								

Caution

- 5H-139.7 size can fit OEM Jimny center cap (rear only).
- Jimny size cannot be fitted with the optional center cap.

※Rim width 16inch: S rim is 37mm, L rim is 61mm, 18inch: S rim is 32mm, L rim is 52mm,LL rim is 64mm.