



HOMURA JAPAN QUALITY **2x10BD**

BEYOND DESIGN

Spec

| | |
|---------------------|---|
| Product Name | 2x10BD |
| Size | 18inch/19inch/20inch/21inch |
| Construction Method | Cast 1pc. Wheel 21 inch: Reverse rim |
| Safety Standards | JWL+R Spec 1 |
| Color | Black/Rim Edge DMC(B9J) DMC/Side Grace Silver(QAJ) (21inch: HDJ) |
| Included | No.28 HOMURA CAP Ver.B BK-Marble/Chrome、 No.21 INSIDE ALUMINUM AIR VALVE BK |
| Optional | Vehicle Specific Parts Set |



DMC/Side Grace Silver(QAJ) (21inch: HDJ)



Black/Rim Edge DMC(B9J)

Optional Parts

Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

| SIZE | FACE | INSET (): HUB CLEARANCE (mm) | HOLE | P.C.D. | HUB BORE (φ) | DRILL (φ) | PRICE | | | CALIPER CLEARANCE | Load |
|---------|------|--|------|--------|----------------------|----------------|-----------|-----------|-----------|---|-------|
| | | | | | | | B9J COLOR | QAJ COLOR | HDJ COLOR | | |
| 18x7.5J | F1 | 50(40) | 5 | 114.3 | 73.1 | 29-15 | 57,000 | - | - | ηΔ | 1,543 |
| | | 45(45) | | | | | | 64,000 | | ▽θηΔ | |
| 19x8J | F1 | 45(35) | 5 | 114.3 | 73.1 | 29-15 | 64,000 | 71,000 | - | ηΔγ | 1,543 |
| | | 38(42) | | 120 | 72.6 | | | | | ▽θη■Δ◎#▲γ | |
| | | 45(35) | | | | | | | | TOYOTA ALPHARD(40) | |
| | | 38(42) | | | | | | | | | |
| 20x8.5J | F1 | 45(35) | 5 | 114.3 | 73.1 | 29-15 | 72,000 | 79,000 | - | ηΔ◎■ | 1,554 |
| | | 38(42) | | 120 | 72.6 | | | | | ▽θη■Δ◎#▲●◇ | |
| | | 45(35) | | | | | | | | TOYOTA ALPHARD(40) | |
| | | 38(42) | | | | | | | | | |
| 21x9J | F2 | 36 | 5 | 112 | 66.6 | 29-15 | 86,000 | - | 93,000 | AUDI A7(F2),BENZ C-CLASS (W223),GLC-CLASS(X253),BMW X3(G01) | 1,554 |
| | | 45(35) | | 114.3 | 73.1 | | | | | ηΔ■ | |
| | | 38(42) | | 120 | 72.6 | | | | | ▽θη■Δ◎●◇■ | |
| | | 45(35) | | | | | | | | TOYOTA ALPHARD(40) | |

Caution

5H-P.C.D.112/120: Cannot fit Mercedes Benz (GL Class, GLS Class, R550 4 Matic, R350 4 Matic 2012-, ML63 4 Matic, S550 Plug-in Hybrid, V class (W447), GLE63S 4 Matic, GLE class (V167), EQC400), Rolls Royce, Bentley, Maybach (57, 62, GLS600), BMW X5 (7 seater), X5 (F15), X5 (PHV), X6 Active Hybrid, X7, iX, iX3, Alpina XB7, Audi e-tron, Land Rover, Tesla (Model X), Century (GRG75).

※ * : Tuner size. (Tire and or wheel may interfere or protrude from the body/fender on normal based vehicles.

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

△ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.