



G025LC

The New G025

Spec

Product Name	G025LC
Size	20inch
Construction Method	Forged 1pc. Wheel Reverse Rim
Safety Standards	JWL+R Spec 2
Color	Shining Light Metal/ Rim FDMC (HI)
Optional Color	<p>OP-2: Extra ¥ 3,000 from HI color. HL color, IG color, MR color: Extra ¥ 4,000 SZ color, SI color, HM color: Extra ¥ 7,000 ※Optional color will have the Rim FDMC finish ※Optional color Matte Gunbronze(MZ) will be a fully painted finish (no Rim FDMC finish) Matte Gunbronze(MZ)、Black(BK)、MAG Blue(BL)、Diamond Black(DB)、Dark Gunmetal(DG)、Diamond Silver(DS)、Dash White(DW)、Matte Blue Gunmetal(GB)、Gunmetal(GM)、Gold(GO)、Hyper Blue(HL)、Racing Green(IG)、Matte Black(MB)、Red(RE)、Shining Bronze Metal(SZ)、Shining Black Metal(HM)、Metallic Red(MR)</p>
Included	No.99 VR CAP MODEL-01 LOW DC/SL (O-Ring)、No.56 ET1 AIR VALVE BK
Optional	Vehicle Specific Parts Set



Shining Light Metal/Rim FDMC (HI)



Optional color:MAG Blue(BL)



Optional color:Black(BK)

Optional Parts

Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	RIM	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE	CALIPER CLEARANCE	Load		
								HI COLOR				
20x8.5J	F 1	S	40	5	108	73.1	29-15	137,000	JAGUAR F-PACE(DC2), LAND ROVER RANGE ROVER EVOQUE(LZ), VOLVO XC60(UD)*, XC40(XB)*	1,852		
			22		112	66.6			BMW 3er.(G20)Fr			
			38(40)		114.3	73.1			△■			
					120	72.6			TOYOTA ALPHARD(40),BMW 528i(F10),X3(F25)			
20x9J	F 1	S	29	5	112	66.6	29-15	138,000	TOYOTA GR SUPRA(DB) Fr, BMW Z4(G29)Fr	1,852		
			20						120		72.6	PORSCHE MACAN S Fr
			22						LEXUS LS(50 Series)Fr, BMW M3(F80) Fr, M4(F82) Fr			
20x9.5J	F 1	S	45	5	112	66.6	29-15	139,000	BMW 3er.(G20)Rr	1,852		
			35						AUDI RS7(4G)			
	F 2		15		BMW M3(G80) Fr, M4(G82)Fr							
	F 1		42(49)		▽θη■▲#▲■							
			35(56)		▽θη■▲◎#△α○★?■							
			L		28(38)	△						
			S		27(64)	▽θη■▲◎#△α○☆?■						
20x10J	F 1	L	15	5	112	66.6	29-15	140,000	BMW M3(G80)Fr*, M4(G82) Fr*, PORSCHE MACAN S Rr	1,852		
	F 2	S	33						BMW Z4(G29)Rr*, TOYOTA GR SUPRA(DB)Rr			
	F 1		L		35(62)	▽θη■▲◎#α○Ω★?■						
		34	BMW M3(F80)Rr*, M4(F82)Rr*, LEXUS LS(50 Series)Rr									
		22	LEXUS LC(100 Series)Rr*									
20x10.5J	F 2	L	15	5	112	66.6	29-15	141,000	BMW M3(G80) Rr*, M4(G82)Rr*	1,852		
	F 1		25(53)		114.3	73.1			η▽θη■▲◎#△α○Ω★■			

20x11J	F 2	LL	15	5	112	66.6	29-15	142,000	BMW M3(G80) Rr*, M4(G82)Rr*		1,852
	F 1		25(47)		114.3	73.1			ηθ■△■		
	F 2		15(39)		△■						
20x12J	F 2	LL	25(42)	5	114.3	73.1	29-15	144,000	η△■	1,852	

Caution

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

△ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.