



VOLKRACING
ORIGINAL **TE37SL**
SAGA

Evolution through 100% new design and inherited performance.

Spec

Product Name	TE37 SAGA SL
Size	15inch/17inch/18inch
Construction Method	Forged 1pc Wheel 17inch Reverse Rim Knurling Finish
Safety Standards	JWL+R Spec 2
Color	Pressed Graphite (PG)
Included	Spoke sticker set(3pcs) No.51 EUROPEAN ALUMINUM VALVE RAYS RD
Optional	Center Cap, Vehicle Specific Parts Set



Pressed Graphite (PG)



Pressed Graphite (PG) 15inch

Optional Parts

No.51 VR CAP MODEL-01 LOW MM、 No.54 VR CAP MODEL-01 HI MM、 No.94 VR CAP MODEL-37 BK-Almite、 Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE	CALIPER CLEARANCE	DISK PROTRUSIO N (mm)	Load	
							PG COLOR				
15x7J	F2	38(21)	4	100	65	29-13	67,000	-	0.47	1,367	
	F1	35(34)							3.73		
	F2	25(34)							0.47		
	F1	35(33)	5	114.3	73.1	3.73			1,521		
15x7.5J	F3	28(26)	4	100	65	29-13	68,000	-	-	1,367	
		21(33)		114.3	73.1	32-13					
		28(26)									
15x8J	F3	35(25)	4	100	65	29-13	69,000	-	-	1,367	
		25(35)									
		20(40)									
		35(25)	5	114.3	73.1	32-13				1,521	
17x7J	F1	44(24)	4	100	65	29-15	89,000	-	-	1,543	
17x7.5J	F1	36	4	98	65	29-15	90,000	-	-	1,543	
		37(31)		100							
	F3	31(25)									
	F1	47(28)	5	112	66.6	32-15					MINI F Series ※includes JCW
		39		114.3	73.1						-
		47(28)				▽θ#▲					
		43(32)				▽θ#▲					
17x8J	F2	37(27)	5	114.3	73.1	32-15	91,000	▽θ#▲	-	1,543	

17x8.5J	F2	39(31)	4	100	65	29-15	92,000	ψ	-	1,543
		44(26)	5					▽\$		
		39(31)		▽θ#▲γΩ						
		29(41)		114.3	73.1	32-15		▽θ#▲γΩΣ		
17x9J	F3	44(23)	5	100	65	29-15	93,000	▽\$	-	1,543
	F4	21(34)		114.3	73.1	32-15		▽θ#▲		
			▽θ#▲γΩΣ							
17x9.5J	F4	45(21)	5	100	65	29-15	94,000	-	-	1,543
		40(26)		114.3	73.1	32-15		▽θ#▲		
		35(31)		▽θ#▲γΩ						
		18(41)		▽θ#▲γΩΣ						

18x8.5J	F3	45(21)	5	100	65	29-15	94,000	▼	-	1,543
		42		112	66.6	32-15		AUDI TT(8J),VW GOLF (V*/VI*/VII*/VIII*) ※includes R32/R		
		45(21)		114.3	73.1			ηθ■▲□●■		
18x9J	F3	52(20)	5	100	65	29-15	95,000	▼	-	1,543
		45(27)		114.3	73.1	32-15		η▽θ■▲#△○★■		
18x9.5J	F4	45(22)	5	100	65	29-15	96,000	▽\$	-	1,543
		35(20)		114.3	73.1	32-15		ηθ■▲□▲α●■		
								η▽θ■▲◎#△○★◆■		
		22(33)		η▽θ■▲◎#△○☆◇■						
		45		120	72.6	32-15		HONDA CIVIC TYPE R(FK8/ FL5)*		
38										
18x10J	F4	40(22)	5	114.3	73.1	32-15	97,000	η▽θ■▲◎#△○★◆■	-	1,543
	F5	20(38)						η▽θ■▲◎#△○☆◇■		

18x10.5J	F5	30	5	112	66.6	32-15	98,000	BMW Z4(G29) Rr*, TOYOTA GR SUPRA(DB)Rr*	-	1,543
				120	72.6			BMW M3(E92)Rr, BMW M4(F82) Rr*,M2(F87/except Competition)Rr*		
		22(31)		114.3	73.1			η∇θ■▲◎#△○☆◇≡		
		15(38)								
18x11J	F5	15(44)	5	114.3	73.1	32-15	99,000	η∇θ■▲◎#△○☆◇≡	-	1,543

Caution

• Hub clearance listed is with the VR CAP MODEL-01 LOW installed. HI-type center cap adds extra 11mm clearance.

5H-P.C.D.112/120: Cannot fit Mercedes Benz (GL Class, GLS Class, R550 4 Matic, R350 4 Matic 2012-, ML63 4 Matic, S550 Plug-in Hybrid, V class (W447), GLE63S 4 Matic, GLE class (V167), EQC400), Rolls Royce, Bentley, Maybach (57, 62, GLS600), BMW X5 (7 seater), X5 (F15), X5 (PHV), X6 Active Hybrid, X7, iX, iX3, Alpina XB7, Audi e-tron, Land Rover, Tesla (Model X), Century (GRG75).

* : Tuner size. Sample fitments are for reference only.

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

§ : GR86/BRZ(ZN8/ZC8)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.