



HOMURA JAPAN QUALITY 2x9BD

Another form of supreme beauty

Spec

Product Name	2x9BD
Size	20inch
Construction Method	Cast 1pc. Wheel
Safety Standards	JWL+R Spec 1
Color	Glossy Black/Rim DC (BAK) Grace Gold/Rim DC (XAK)
Included	No.25 GENERAL CAP V1 LOW BK/Chrome、 No.72 GENERAL CAP V1 HI BK/Chrome、 No.21 INSIDE ALUMINUM AIR VALVE BK
Optional	Vehicle Specific Parts Set



Glossy Black/Rim DC (BAK)



Grace Gold/Rim DC (XAK)

Optional Parts

Vehicle Specific Parts Set

Prices are noted in Japanese YEN(JPY). Specifications in the English version are intended for customers outside of Japan and do not include Japan sales tax.

SIZE	FACE	INSET (): HUB CLEARANCE (mm)	HOLE	P.C.D.	HUB BORE (φ)	DRILL (φ)	PRICE		CALIPER CLEARANCE
							BAK COLOR	XAK COLOR	
20x8.5J	F 1	45(34)	5	114.3	73.1	29-15	78,000	84,000	η∠◎=
		38(41)							▽θη■∠◎#▲α●◇=
		45(34)		120	72.6				-
		38(41)							

Caution

※Hub clearance listed is with the standard type center cap installed. High type center cap adds extra 5mm clearance.

5H-P.C.D.120: Cannot fit BMW X5 (7 seater), X5 (F15), X6 (Active Hybrid), Land Rover, Tesla (Model X), Rolls Royce, Bentley, Century (GRG75)

[CALIPER CLEARANCE]

▼ : IMPREZA (GDB 4POT)

▽ : IMPREZA (GDB & GRB 4POT)

⊖ : WRX STI (4POT)

η : WRX STI (6POT)

■ : IS, GS, RC, CROWN (210), MARK-X (3.5L)

∠ : IS-F

◎ : RC-F

: SILVIA (S15)

△ : SKYLINE (R34GT-R, CPV35, CKV36, HV37, RV37/400R)

▲ : SKYLINE (R34 GT-R)

□ : SKYLINE (CKV36, HV37, RV37/400R)

α : SKYLINE (CKV36, HV37), FUGA(Y51)

β : SKYLINE (HV37)

γ : SKYLINE (CPV35)

○ : FAIRLADY Z (Z33, Z34, RZ34)

● : FAIRLADY Z (Z34)

Ω : FAIRLADY Z (Z33)

☆ : LANCER EVO.(VII~IX, X)

★ : LANCER EVO.X

Σ : LANCER EVO.(VII~IX)

◆ : GT-R (R35/φ380 rotor)

◇ : GT-R (R35/φ380, φ390 rotor)

■ : GR YARIS (RZ)

Ψ : ROADSTER (ND)/124 Spider Brembo

※CALIPER CLEARANCE are for reference only and do not guarantee inspection, and/or the size mandated by local authorities. Selecting sizes is by your own judgement and we recommend consulting fitments with a professional outlet.